

## **Priorities for GEOINT Research at the National Geospatial-Intelligence Agency**

Committee on Basic and Applied Research Priorities in Geospatial Science for the National Geospatial-Intelligence Agency, Mapping Science Committee, National Research Council

ISBN: 0-309-65862-4, 114 pages, 6 x 9, (2006)

**This free PDF was downloaded from:**  
<http://www.nap.edu/catalog/11601.html>

Visit the [National Academies Press](http://www.nap.edu) online, the authoritative source for all books from the [National Academy of Sciences](http://www.nap.edu), the [National Academy of Engineering](http://www.nap.edu), the [Institute of Medicine](http://www.nap.edu), and the [National Research Council](http://www.nap.edu):

- Download hundreds of free books in PDF
- Read thousands of books online, free
- Sign up to be notified when new books are published
- Purchase printed books
- Purchase PDFs
- Explore with our innovative research tools

Thank you for downloading this free PDF. If you have comments, questions or just want more information about the books published by the National Academies Press, you may contact our customer service department toll-free at 888-624-8373, [visit us online](http://www.nap.edu), or send an email to [comments@nap.edu](mailto:comments@nap.edu).

This free book plus thousands more books are available at <http://www.nap.edu>.

Copyright © National Academy of Sciences. Permission is granted for this material to be shared for noncommercial, educational purposes, provided that this notice appears on the reproduced materials, the Web address of the online, full authoritative version is retained, and copies are not altered. To disseminate otherwise or to republish requires written permission from the National Academies Press.

# **PRIORITIES FOR GEOINT RESEARCH**

## **AT THE NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY**

Committee on Basic and Applied Research Priorities in Geospatial Science  
for the National Geospatial-Intelligence Agency

Mapping Science Committee

Board on Earth Sciences and Resources  
Division on Earth and Life Studies

**NATIONAL RESEARCH COUNCIL**  
*OF THE NATIONAL ACADEMIES*

THE NATIONAL ACADEMIES PRESS  
Washington, D.C.  
**[www.nap.edu](http://www.nap.edu)**

**THE NATIONAL ACADEMIES PRESS, 500 Fifth Street, N.W., Washington, DC 20001**

NOTICE: The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for the report were chosen for their special competences and with regard for appropriate balance.

This study was supported by the National Geospatial-Intelligence Agency, Grant No.HM1582-04-1-2020. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the organizations or agencies that provided support for the project.

International Standard Book Number 0-309-10149-2

Additional copies of this report are available from the National Academies Press, 500 Fifth Street, N.W., Lockbox 285, Washington, DC 20055; (800) 624-6242 or (202) 334-3313 (in the Washington metropolitan area); Internet, <http://www.nap.edu>.

*Cover:* Upper left: Air Force personnel using a global positioning system hand-held unit for mapping. Courtesy of the U.S. Air Force. Upper right: Courtesy of NASA. Lower left: Courtesy of Getty Images. Lower right: Army personnel flying an unmanned aerial vehicle. Courtesy of the U.S. Army.

Cover designed by Michele de la Menardiere

Copyright 2006 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America

## THE NATIONAL ACADEMIES

### *Advisers to the Nation on Science, Engineering, and Medicine*

The **National Academy of Sciences** is a private, nonprofit, self-perpetuating society of distinguished scholars engaged in scientific and engineering research, dedicated to the furtherance of science and technology and to their use for the general welfare. Upon the authority of the charter granted to it by the Congress in 1863, the Academy has a mandate that requires it to advise the federal government on scientific and technical matters. Dr. Ralph J. Cicerone is president of the National Academy of Sciences.

The **National Academy of Engineering** was established in 1964, under the charter of the National Academy of Sciences, as a parallel organization of outstanding engineers. It is autonomous in its administration and in the selection of its members, sharing with the National Academy of Sciences the responsibility for advising the federal government. The National Academy of Engineering also sponsors engineering programs aimed at meeting national needs, encourages education and research, and recognizes the superior achievements of engineers. Dr. Wm. A. Wulf is president of the National Academy of Engineering.

The **Institute of Medicine** was established in 1970 by the National Academy of Sciences to secure the services of eminent members of appropriate professions in the examination of policy matters pertaining to the health of the public. The Institute acts under the responsibility given to the National Academy of Sciences by its congressional charter to be an adviser to the federal government and, upon its own initiative, to identify issues of medical care, research, and education. Dr. Harvey V. Fineberg is president of the Institute of Medicine.

The **National Research Council** was organized by the National Academy of Sciences in 1916 to associate the broad community of science and technology with the Academy's purposes of furthering knowledge and advising the federal government. Functioning in accordance with general policies determined by the Academy, the Council has become the principal operating agency of both the National Academy of Sciences and the National Academy of Engineering in providing services to the government, the public, and the scientific and engineering communities. The Council is administered jointly by both Academies and the Institute of Medicine. Dr. Ralph J. Cicerone and Dr. Wm. A. Wulf are chair and vice chair, respectively, of the National Research Council.

**[www.national-academies.org](http://www.national-academies.org)**



**COMMITTEE ON BASIC AND APPLIED RESEARCH PRIORITIES  
IN GEOSPATIAL SCIENCE FOR THE  
NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY**

KEITH C. CLARKE, *Chair*, University of California, Santa Barbara

MARC P. ARMSTRONG, The University of Iowa, Iowa City

BUDHENDRA L. BHADURI, Oak Ridge National Laboratory,  
Oak Ridge, Tennessee

BARBARA P. BUTTENFIELD, University of Colorado, Boulder

MARK N. GAHEGAN, Pennsylvania State University, University Park

MICHAEL J. JACKSON, University of Nottingham, Nottingham, UK

SHASHI SHEKHAR, University of Minnesota, Minneapolis

CHRISTOPHER TUCKER, Ionic Enterprise, Alexandria, Virginia

*National Research Council Staff*

PAUL CUTLER, Study Director (until January 2005)

ANN FRAZIER, Study Director (starting January 2005)

VERNA J. BOWEN, Administrative Associate

AMANDA M. ROBERTS, Senior Program Assistant

## MAPPING SCIENCE COMMITTEE

KEITH C. CLARKE, *Chair*, University of California, Santa Barbara  
ISABEL F. CRUZ, The University of Illinois at Chicago  
ROBERT P. DENARO, NAVTEQ Corporation, Chicago, Illinois  
SHOREH ELHAMI, Delaware County Auditor's Office, Delaware, Ohio  
DAVID R. FLETCHER, Geographic Paradigm Computing,  
Albuquerque, New Mexico  
JIM GERINGER, ESRI, Inc., Wheatland, Wyoming  
JOHN R. JENSEN, University of South Carolina, Columbia  
NINA S.N. LAM, Louisiana State University, Baton Rouge  
MARY L. LARSGAARD, University of California, Santa Barbara  
DAVID R. MAIDMENT, University of Texas at Austin  
ROBERT B. MCMASTER, University of Minnesota, Minneapolis  
SHASHI SHEKHAR, University of Minnesota, Minneapolis  
NANCY TOSTA, Ross & Associates Environmental Consulting, Ltd.,  
Seattle, Washington  
EUGENE TROBIA, Arizona State Land Department, Phoenix

### *National Research Council Staff*

ANN FRAZIER, Program Officer  
VERNA J. BOWEN, Administrative Associate  
AMANDA M. ROBERTS, Senior Program Assistant

## BOARD ON EARTH SCIENCES AND RESOURCES

GEORGE M. HORNBERGER, *Chair*, University of Virginia, Charlottesville  
M. LEE ALLISON, Arizona Geological Survey, Tucson  
STEVEN R. BOHLEN, Joint Oceanographic Institutions, Washington, D.C.  
DAVID COWEN, University of South Carolina, Columbia  
KATHERINE H. FREEMAN, Pennsylvania State University,  
University Park  
RHEA L. GRAHAM, New Mexico Interstate Stream Commission,  
Albuquerque  
ROBYN HANNIGAN, Arkansas State University, Jonesboro  
V. RAMA MURTHY, University of Minnesota, Minneapolis  
RAYMOND A. PRICE, Queen's University, Ontario, Canada  
BARBARA A. ROMANOWICZ, University of California, Berkeley  
JOAQUIN RUIZ, University of Arizona, Tucson  
MARK SCHAEFER, Global Environment and Technology Foundation,  
Arlington, Virginia  
RUSSELL STANDS-OVER-BULL, BP American Production Company,  
Houston, Texas  
BILLIE L. TURNER II, Clark University, Worcester, Massachusetts  
STEPHEN G. WELLS, Desert Research Institute, Reno, Nevada  
THOMAS J. WILBANKS, Oak Ridge National Laboratory, Oak Ridge,  
Tennessee

### *National Research Council Staff*

ANTHONY R. DE SOUZA, Director  
ELIZABETH EIDE, Senior Program Officer  
DAVID A. FEARY, Senior Program Officer  
ANNE M. LINN, Senior Program Officer  
ANN FRAZIER, Program Officer  
SAMMANTHA MAGSINO, Program Officer  
RONALD F. ABLER, Senior Scholar  
CAETLIN OFIESH, Research Assistant  
JENNIFER T. ESTEP, Administrative Associate  
VERNA J. BOWEN, Administrative Assistant  
JARED ENO, Program Assistant  
AMANDA M. ROBERTS, Senior Program Assistant



## Acknowledgments

This report has been reviewed in draft form by individuals chosen for their diverse perspectives and technical expertise, in accordance with procedures approved by the National Research Council's Report Review Committee. The purpose of this independent review is to provide candid and critical comments that will assist the institution in making its published report as sound as possible and to ensure that the report meets institutional standards for objectivity, evidence, and responsiveness to the study charge. The review comments and draft manuscript remain confidential to protect the integrity of the deliberative process. We wish to thank the following individuals for their review of this report:

Roberta Balstad, Columbia University, Center for International Earth  
Science Information Network, Palisades, New York  
Kate Beard-Tisdale, University of Maine, Orono  
William B. Gail, Vexcel Corporation, Boulder, Colorado  
Roger L. King, Mississippi State University, Mississippi State  
Werner Kuhn, University of Muenster, Muenster, Germany  
David M. Mark, State University of New York, Buffalo  
Harvey J. Miller, University of Utah, Salt Lake City  
Mark E. Reichardt, Open Geospatial Consortium, Herndon, Virginia  
Carl J. Stuerkerjuergen, Central Intelligence Agency, Washington,  
D.C.

Although the reviewers listed above have provided many constructive comments and suggestions, they were not asked to endorse the

conclusions or recommendations nor did they see the final draft of the report before its release. The review of this report was overseen by David L. Skole, Michigan State University, East Lansing, and Robert J. Hermann, Global Technology Partners, LLC, Hartford, Connecticut. Appointed by the National Research Council they were responsible for making certain that an independent examination of this report was carried out in accordance with institutional procedures and that all review comments were carefully considered. Responsibility for the final content of this report rests entirely with the authoring committee and the institution.

# Contents

<b>SUMMARY</b>	<b>1</b>
<b>1 INTRODUCTION</b>	<b>5</b>
Background, 5	
Statement of Task and Approach, 7	
Report Structure, 8	
<b>2 THE EVOLVING MISSION OF NGA</b>	<b>9</b>
Background, 9	
Background to NGA Research, 13	
Research Funding by NGA, 15	
Summary, 22	
<b>3 NGA CHALLENGES</b>	<b>23</b>
Overview, 23	
Top 10 Challenges, 23	
Research Context for GEOINT2, 26	
Summary, 29	
<b>4 HARD PROBLEMS AND PROMISING APPROACHES</b>	<b>31</b>
Achieve Persistent TPED, 32	
Compress the Time Line of Geospatial Intelligence Generation, 39	
Exploit All Forms of Intelligence, 46	
Share with Coalition Forces: Interoperability, 55	

	Supporting Homeland Security, 59	
	Promoting Horizontal Integration, 60	
	Summary, 63	
<b>5</b>	<b>THE RESEARCH INFRASTRUCTURE AT NGA</b>	<b>65</b>
	Background, 65	
	Research Organization for GEOINT2, 67	
<b>6</b>	<b>PRIORITIES FOR NGA GEOINT RESEARCH</b>	<b>73</b>
	GEOINT2 Process Flow, 74	
	Hard Problems in the Context of the GEOINT2 Framework, 77	
	Conclusions, 84	
	<b>REFERENCES</b>	<b>87</b>
	<b>APPENDIXES</b>	
A	List of Acronyms	93
B	Biographical Sketches of Committee Members and Staff	97

## Summary

The mission of the National Geospatial-Intelligence Agency (NGA) is to provide timely, relevant, and accurate geospatial intelligence to support national security. NGA defines geospatial intelligence (GEOINT) as *“the exploitation and analysis of imagery and geospatial information to describe, assess, and visually depict physical features and geographically referenced activities on the Earth”* (NGA, 2004a). NGA faces a crisis of need in the post-9/11 world. Without effective GEOINT, the nation and its armed services are vulnerable to security risks and threats. NGA must improve the speed, rigor, accuracy, fidelity, and relevance of its geospatial analyses while the sources of data increase in number and type, and data volume grows. Because GEOINT is moving rapidly to ever-finer temporal, spatial, radiometric, and spectral resolutions, increased volumes and more complex data must be absorbed—that is, captured, stored, analyzed, and reported. The time horizons of problems that the intelligence community seeks to understand have gone from months and days to hours and minutes. Other challenges include adopting and spearheading new methods and technologies while maintaining fully operational existing systems; integrating data from a host of old and new sources through rapid georectification and spatial analysis; improving uncertainty management, including dealing with denial and deception; dealing with data volume issues, especially the need to automate human interpretation tasks; ubiquity of access, including web-based systems and the effective reuse of existing data; and the ability to work effectively within a broadening pool of partners and allies while maintaining appropriate security control. The challenges can be

summarized as the conversion of what today are *data* into distilled *information* and *knowledge*. Yet analysis methods have not evolved to integrate multiple sources of data rapidly to create actionable intelligence. Nor do today's means of information dissemination, indexing, and preservation suit this new agenda or future needs. NGA will play a major role for the entire intelligence community in creating the next-generation National System for Geospatial Intelligence and has set forth a consistent vision of what this next-generation GEOINT should be. This vision is intended to see NGA through the transition into a new era. NGA also plays a leading role in supporting fundamental research for the next generation of GEOINT, termed GEOINT2 in this report.

It is within this context that the National Academies was asked by NGA to identify research priorities and strategic directions in geospatial science for the NGA's Basic and Applied Research Program. The goal of the study was to examine both "hard problems" in geospatial science that must be addressed to improve geospatial intelligence, and promising methods and tools in geospatial science and related disciplines to pursue in order to resolve these problems. The results of this study are intended to help NGA's chief scientist to anticipate and prioritize geospatial science research directions and, by doing so, to enhance NGA's mix of research as it addresses these priorities.

NGA has defined its "top 10 challenges" for GEOINT. Using these as a base, along with knowledge of the current state of the art in geospatial information science, the hard research problems associated with each of the GEOINT challenges were identified, leading to a total of 12 recommendations. The hard problems are summarized in Table S.1. Several promising methods and techniques for approaching each of these hard problems are addressed in the body of this report.

While it is useful to associate the hard research problems with the GEOINT challenges, it is also instructive to look at them in the context of the GEOINT process. This study puts forth a framework that describes the GEOINT2 process information flow. The key stages in this geospatial information flow are to acquire, identify, integrate, analyze, disseminate, and preserve. Consequently the hard problems are linked to one or more steps in the process flow that they impact. Looking at the hard problems, both in terms of an overall GEOINT challenge and in terms of the GEOINT process itself, is useful for prioritization of research goals.

The success of the research program in creating new technologies and techniques to address NGA's GEOINT vision is dependent not only on the focus of the research, but also on the research process itself. NGA-led research is conducted through a wide variety of programs inside and outside NGA, including academic research grants, broad area announcements, contracts, and funding to various agencies and organizations. The

TABLE S.1 Summary of Hard Problems

NGA Challenge	Hard Problems	Recommendation
(1) Achieve persistent tasking, processing, exploitation, and dissemination (TPED)	Assimilation of new, numerous, and disparate sensor networks within the TPED process	1
	Spatiotemporal data mining and knowledge discovery from heterogeneous sensor data streams	2
	Spatiotemporal database management systems	3
(7) Compress time line	Process automation and human cognition	4
	Visualization	5
	High-performance grid computing for geospatial data	6
(2-6) Exploit all forms of imagery (and intelligence)	Image data fusion across space, time, spectrum, and scale	7
	Role of text and place name search in data integration	8
	Reuse and preservation of data	9
	Detection of moving objects from multiple heterogeneous intelligence sources	10
(8) Share with coalition forces, partners, and communities at large	GEOINT ontology	11
(9) Support homeland security	Covered by other areas	
(10) Promote horizontal integration	Multilevel security	12

effectiveness of the research process has become even more important since a considerable part of the research activity in geographic information science now has some roots in NGA-funded programs. Therefore, this study makes five recommendations to increase the effectiveness of the research process. To improve the coordination of the research program, the committee recommends increasing the use of peer review and

better defining the roles, responsibilities, and relationships of the various participants in NGA research. To increase the number of basic research projects that result in the development of new technologies and techniques that can be incorporated into the GEOINT process, the committee recommends an improved definition of the current and future information systems architectures and a clear plan for integrating research and development projects into these architectures, including better integration with open systems architectures. To maximize the pool of research expertise available to NGA, the committee recommends working to involve the geospatial science and technology community from coalition countries.

Finally, the complete set of recommendations is given a priority of 1 to 3, with 1 being the highest. The priorities are summarized in Table 6.2 of this report and are proposed for consideration by NGA as it works to develop a research agenda to support the evolution to GEOINT2, the geospatial intelligence infrastructure for the twenty-first century.

# 1

## Introduction

### BACKGROUND

The mission of the National Geospatial-Intelligence Agency (NGA)—until 2003, the National Imagery and Mapping Agency (NIMA)—is to provide timely, relevant, and accurate geospatial intelligence (GEOINT) to support national security. NGA defines geospatial intelligence as “*the exploitation and analysis of imagery and geospatial information to describe, assess, and visually depict physical features and geographically referenced activities on the Earth*” (NGA, 2004a). The term was adopted in the agency name for two reasons: (1) to recognize the fundamental property of geographical location associated with the data that NGA and the intelligence community produce and analyze and (2) to emphasize the value-added analyses that the agency performs to create a distinct type of actionable intelligence.

NGA must improve the speed, thoroughness, accuracy, fidelity, and relevance of its geospatial analyses while the sources of data increase in number and type, and data volume grows. These issues are especially pressing because there is uncertainty about the future number of available NGA analysts due to intense recruitment demands and the nature of staff demographics. Furthermore, within NGA and the intelligence community more broadly, both the objectives of the Joint Vision 2020 and the emerging components of GEOINT (e.g., elegant intelligence, full spectrum collection, persistent surveillance, universal situational awareness) have set the stage for moving toward greater integration in intelligence problem solving (Joint Chiefs of Staff, 2000; NGA, 2004a). Within this context, NGA’s vision is to

- Provide geospatial intelligence in all its forms and from whatever source—imagery, imagery intelligence, or geospatial data and information—to ensure a solid foundation of knowledge for planning, decision, and action;
  - Provide easy access to geospatial intelligence databases for all stakeholders; and
  - Create tailored, customer-specific geospatial intelligence, analytic services, and solutions.

The programs of the Basic and Applied Research Office (BARO) under NGA's InnoVision Directorate provide research and development (R&D) support for the agency's mission and vision. These programs, particularly the Geospatial Science Program, invest in scientifically oriented geospatial research in academia, the business community, and government laboratories through such programs as the NGA University Research Initiatives (NURI), Historically Black Colleges and Universities and Minority Institutions (HBCU-MI) Research Initiatives, postdoctoral research fellowships, Small Business Innovation Research (SBIR) Program, cooperative research and development agreements, Intergovernmental Personnel Act appointments, and Service Academies Program and through internal research. The majority of these programs are unclassified.

BARO must revise its research plan periodically to support the scientific and technical challenges NGA faces in delivering integrated geospatial intelligence. Addressing NGA's challenges requires investing in fundamental research to discover breakthrough capabilities that will meet the demands placed on analysts. By its nature, basic research is high risk but with a potential for high payoff. Although this level of risk places it in jeopardy when competing for funding against more tangible, near-term activities, in the longer term such research is essential to NGA. This adds a further dimension to the context in which BARO must revise its research plan.

A key facet of the future of NGA research relates to programs that cover aspects of geographic information science, particularly BARO's *Geospatial Science Program*, which seek to take advantage of the most useful methods, data, and technologies from geography and related disciplines. Geospatial science and technology are evolving rapidly in the post-Cold War era. Such technologies as digital soft-copy photogrammetry, high-resolution satellite imagery, and digital geospatial databases—once the exclusive domain of the Department of Defense and the intelligence community—are now common throughout academia and the public and private sectors. The proprietary, frequently classified, hardware and software solutions to geospatial challenges have given way to products and services from the commercial marketplace, which has allowed NGA to

narrow its research focus to problems that are more closely related to its mission than in the past. Furthermore, NGA now works with non-agency partners on problems that both advance geospatial science and serve mutual interests.

This National Research Council study is intended to help NGA's chief scientist anticipate and prioritize geospatial science research directions and, by doing so, enhance NGA's mix of research investments to best address these priorities.

## STATEMENT OF TASK AND APPROACH

The National Academies was asked by the National Geospatial-Intelligence Agency to convene a study that would identify research priorities and strategic directions in geospatial science for the NGA's Basic and Applied Research Program. The goal of the study was to examine the following:

1. "Hard problems" in geospatial science that must be addressed to improve geospatial intelligence and
2. Promising methods and tools in geospatial science and related disciplines that can be brought to bear on national security and homeland defense problems.

The Committee on Basic and Applied Research Priorities in Geospatial Science for the National Geospatial-Intelligence Agency was composed of eight members from academia, industry, government, and nongovernment organizations. Members brought extensive experience and expertise in geospatial science and related disciplines and technologies.

The committee met three times. One meeting coincided with the September 15-17, 2004, annual NGA Academic Research Program (NARP) Symposium which brings together NURI, HBCU-MI, service academy, and NGA postdoctoral fellows to report on their research. Committee members attended most of this meeting to gather information about the structure and organization of NARP. It was an unprecedented opportunity to discuss the NARP program with most of the principal investigators and other scientists. In addition to using published materials on NGA research program announcements, strategic directions, and funding trends and patterns, the committee sought testimony from NGA technical executives, analysts, program managers, and other staff to learn their perspectives on future demands for geospatial science research. Testimony from technical executives elsewhere in the intelligence community was also used. Based on the information gathered on NGA's challenges and the committee's knowledge of the current state of the art in geospatial

information science, a list of hard research problems of most relevance to NGA was developed, along with promising methods to pursue. These problems were put into the context of the GEOINT process and prioritized.

## **REPORT STRUCTURE**

Chapter 2 provides background and context for the environment in which research is performed at NGA, describing how NGA and its research program have evolved over time. Chapter 3 discusses NGA's self-identified top 10 challenges, which provide a context for directing research. Chapter 4 details the hard research problems that NGA should focus on in order to address the top 10 challenges, as well as promising methods for their solution and steps possible in the short and longer term. Chapter 5 makes recommendations concerning research structure. Chapter 6 places the hard research problems into an overall framework for GEOINT and provides priorities for a research agenda.

## 2

# The Evolving Mission of NGA

### BACKGROUND

The National Geospatial-Intelligence Agency (NGA) was established as the National Imagery and Mapping Agency in 1996, and the current name was adopted on November 24, 2003. The agency absorbed in entirety the former Defense Mapping Agency (DMA), the Central Imagery Office, the Defense Dissemination Program Office, and the National Photographic Interpretation Center (NPIC). The agency also incorporated elements of the Defense Airborne Reconnaissance Office, the National Reconnaissance Office (NRO), the Defense Intelligence Agency, and the Central Intelligence Agency (CIA). The 1996 reorganization recognized that the mapping tradition of DMA and the imagery analysis and interpretation capabilities of the IMINT (imagery intelligence) agencies were merging as a consequence of digital transitions in image processing and geographic information management. Consequently, the 2003 renaming of the agency recognized the emergence of geospatial information as an intelligence source in its own right, now termed GEOINT. NGA defines GEOINT as *“the exploitation and analysis of imagery and geospatial information to describe, assess, and visually depict physical features and geographically referenced activities on the Earth”* (NGA, 2004a). Box 2.1 provides additional thoughts from NGA regarding GEOINT. However, now GEOINT must evolve even further to integrate forms of intelligence and information beyond the traditional sources of geospatial information and imagery, and must move from an emphasis on data and analysis to an emphasis on knowledge. In this document, the term GEOINT2 is used to reflect the

### **BOX 2.1 GEOINT as Defined by NGA**

It is coming to be known as “a powerful new analytic discipline—the product of increasingly complex sources which, together, are greater than the sum of the parts. GEOINT is emerging as the most valuable tool for envisioning and predicting activity around the world. It serves everyone—from the White House to the pilothouse, from the Situation Room to the ready room” (Schultz, 2004).

Lt. Gen. James R. Clapper, in “Imagine the Power of GEOINT” (Clapper, 2004), says, “GEOINT is about more than pictures. GEOINT makes possible in-depth assessments and judgments based on the information that is gleaned from visual depictions. In short, GEOINT is more than imagery, maps, charts and digital displays showing where the bad guys are. GEOINT at its best is the analysis that results from the blending of all of the above into a dynamic, composite view of features or activities—natural or manmade—on Earth.

This brings us to the official definition of GEOINT: the exploitation and analysis of imagery and geospatial information to describe, assess, and visually depict physical features and geographically referenced activities on the Earth that have national security implications.”

evolution of GEOINT toward this broader capability, which is defined as *knowledge gained from geospatial data through the application of geospatial techniques and by skilled interpretation, in which the location and movement of activities, events, features, and people play a key role*. It is the goal of this report to show what areas of research should be addressed to achieve this evolution to GEOINT2.

With the emergence of GEOINT as critical not only to the NGA, but also to national security and the intelligence world as a whole, NGA’s leadership has been engaged in overhauling the agency to reflect the security needs of a complex post-9/11 world. NGA’s new mission is to “provide timely, relevant, and accurate geospatial intelligence in support of national security.” GEOINT at NGA includes information on weather, order of battle, intelligence reports, navigation safety, and other forms of intelligence. These information sources are placed into geospatial context using standard data products, including imagery, baseline intelligence data, digital topography and bathymetry, feature information, and gravity data. As is common in geographic information science, the underlying spatiotemporal reference frame or geography acts as a data integrator,

allowing disparate data to be exploited in such a way that higher forms of spatial knowledge and more profound interpretations can be drawn than if the information were examined in isolation. Furthermore, multiple sources of data have to be integrated at several spatial and temporal scales, from the entire globe to a detailed city neighborhood or mountain gully, and from the epoch to the second.

NGA actively responds to rapid changes in the demands being placed on the nation's military. In recent years, targets have gone from static to mobile; time frames, from months to minutes; new forms of denial and deception have been employed; and targets have moved both underground and into civilian and more uncharacterized contexts (Box 2.2). NGA's capabilities for handling GEOINT are substantial and involve high-precision observations, visualization methods, global on-demand information access, permanence of records, multisource data collection, and the capability to add value and densify information content. On the other hand, limitations of the current environment include deficiencies in surmising plans and intent from imagery and geospatial information, restricted information access under unfavorable conditions, dealing with time lags in data acquisition and use, and the lack of tools and methods for information uncertainty and ambiguity. Technological changes are impacting NGA's day-to-day operations, and the next-generation systems reflect the change from a Cold War mission that demanded maps and imagery information on static targets, offered limited revisit capability, and had low time sensitivity. In the Cold War era, data came from secure government-owned systems with highly compartmentalized analysis and rigid distribution control. Today's needs are for the rapid visualization of government and commercial space and airborne data from highly targetable and temporally persistent sources. Targeting can be ad hoc, responsive, and instantaneous; it can be forward controlled; and it can use integrated intelligence that is both foreign and domestic. Targeting strategies draw on data from across the electromagnetic spectrum and from multiple sources.

In the future, NGA has plans to further evolve the systems it uses, toward an e-business enterprise model, providing Internet service to individual users who can both pull data on demand and push data back to the system within a multilevel cybersecurity framework. Such a one-stop portal-based system has been highly successful in other government and commercial geospatial solutions and has high potential for effective use at NGA. This approach is intended to create an environment in which analysis is insightful and actionable, freeing humans in the loop from data manipulation tasks so that they can concentrate on judgment, thought, and prediction and provide solutions that are customized and on time. Given the volume of data that are handled, operations need to be highly

## BOX 2.2

### GEOINT of the Past, GEOINT of the Future: Fictitious Examples

#### 1990

With the imminent invasion of Kuwait by Iraq still only a vague and distant threat, a U.S. intelligence agent in Kuwait has been approached by Iraqi politicians inquiring as to the nature of a U.S. response to more assertive claims by Iraq of oil fields that lie close to the Kuwait-Iraq border. The agent requests information from an intelligence officer on a U.S. Navy vessel moored in the Persian Gulf. The officer requests from DMA and NRO maps and imagery that detail the borders and from CIA a set of maps showing oil fields annotated with updated intelligence information about oil operations. Several individualized requests must be made to different agencies. Data flow back to the intelligence officer over a period of weeks, with the oil field data arriving last by courier from a transport flight. During this period, Iraqi troops are detected massing on the Iraqi border. By the time the multiple information sources are assembled and interpreted, there is no longer any actionable intelligence since Iraqi tanks surround the oil production facilities and operation Desert Shield is under way.

#### 2020

A known terrorist training camp in Kyrgyzstan has shown unusual activity within the last two days, with the arrival of four middle-aged men with several crates and an increase in small arms training. Activity consistent with tunneling is newly detected. A special forces team has been dispatched and has the location under observation. This team is cooperating with a Russian government special security team, who have positioned motion detectors, gas and magnetic field detectors, and web-cams. Overhead imagery comes from Global Hawk and more traditional space-based sources. Intercepted signal intelligence (SIGINT) traffic has indicated that a Lebanese microbiologist has been transported under cover to the nearest city. A known associate of the microbiologist was recognized among the four new arrivals at the camp by automatic face recognition software in a covert microcamera pre-installed in one of the crates. Yesterday, a *Vladivostok Novosti* news website carried an article noting the theft from a government agricultural research laboratory of a batch of weaponized anthrax. Using a one-hour-old automatically interpreted image of the village, road, and jeep trail network, a map is generated locating every vehicle near the scene and a computer trafficability model is quickly constructed. It is projected that the microbiologist could arrive at the site within one and a half hours. With all of the critical information displayed on a head-worn computer display, the forward special forces commander, after consultation with his commanding officer in Langley, decides to synchronize his move with the geographical convergence of the equipment, the microbiologist, and the terrorists at the tunnel entrance.

automated so that routine tasks are performed from a stored geospatial knowledge base that is capable of learning from human action, while human attention is focused on intelligence that is the most sensitive and valuable.

The NGA is also a human workplace. It currently supports eight key occupational codes directly related to geospatial intelligence: aeronautical analysis, cartography, geodetic science, geospatial analysis, imagery analysis, marine analysis, regional analysis and imagery, and geospatial sciences. Increasingly it also includes management and other skill sets. NGA aspires to an integrated GEOINT trade craft that reflects current needs rather than the occupational categories specified during the Cold War era. Also, NGA faces a changing employee demographic, as interpreters and cartographers hired decades ago reach retirement age. This is a clear opportunity for NGA to retool and retrain for the next generation and for future GEOINT environments. The latter task is likely to be a significant challenge to NGA in the next 10-20 years.

## BACKGROUND TO NGA RESEARCH

Research has long played a role in the organizational heritage of the NGA. In the mid-1960s, with the Cold War at its height, the techniques offices under the Aeronautical Chart and Information Center, aligned with the production offices, supported military and intelligence analyst requests and did independent research. DMA was founded in 1972 and started to fund research through the Department of Defense (DoD) service labs, although little research took place in-house. There was some dissatisfaction with this way of doing research and with the lack of metrics to define its success, leading to the formation of a Special Program Office, which functioned from 1981 to 1996. During this period, large amounts of money were spent to modernize the processing of digital imagery, including some revolutionary changes in operational concepts. Often this involved working with private companies directly to develop new hardware and software. By this means, three versions of a digital production system (MARK 85, 87, and 90) were implemented with a total of six major contractor partners. While these automated systems were successful at streamlining the creation of standardized map and imagery products, the nature of the underlying task was shifting away from that approach to GEOINT.

After 1997, research funding increased by an order of magnitude over seven years, with much of the money supporting joint work with developers. Meanwhile, with the end of the Cold War and a period of flat DoD budgets and increased congressional scrutiny, long-term projects found themselves at risk. Much of the organizational culture at NGA evolved

during this period and reflects the heritage of the agencies that made up NGA at its creation, in particular the very different perspectives adopted by groups trained as cartographers and those trained as image analysts. In this environment, and through several reorganizations, the emphasis has been on short-term return on investment rather than long-term research. As a consequence, the committee views these changes in activities as evolutionary rather than revolutionary.

NGA's need for basic research is greater than that of its predecessor agencies. The committee feels that there is also a need for research that integrates new theories and methods into technologies and that is essentially applied. This underemphasis on advanced research has placed NGA at a disadvantage at the very time that the demands of the new era have challenged the agency. Calls from NGA's leadership have been made for research to provide innovative and provocative concepts and technologies to solve NGA's most pressing problems; to discover new knowledge in fields relevant to NGA; to support and nurture technologies that are relevant to NGA; and to shape, focus, and balance the various technology programs. There is a strong need to leverage extramural activities and funding sources (e.g., the National Security Agency [NSA] Disruptive Technology Office [DTO], the Defense Advanced Research Projects Agency [DARPA], the Department of Homeland Security, the Department of Energy, the National Aeronautics and Space Administration, the National Science Foundation, the National Oceanic and Atmospheric Administration, the National Reconnaissance Office, and the U.S. Geological Survey). There is also a pressing need to educate, train, and mentor the next generation of NGA scientists and engineers.

In mid-1996, the National Imagery and Mapping Agency (NIMA) chief scientist advocated for more than \$6 million a year to support new research and development funding. The goal was to push the state of the art in several science and technology areas ("thrusters"), including source data acquisition and brokering; exploitation, analysis, and data extraction; and information and data handling. Long-range, high-payoff potential was targeted for NIMA mission requirements, with commensurate high risk. The result was the NIMA University Research Initiative (NURI), modeled on a successful Navy program. The NURI program gave NIMA grant-funding authority with a first solicitation in FY1997. This attracted 68 pre-proposals, with 29 full proposals involving 53 universities, in five technology areas (geospatial information science, computer science, physical science, image science and neuroscience, mathematics). A target was to proceed from solicitation to award in only 4 1/2 months. In FY 1997, six awards were made totaling \$2.1 million for three-year grants, with optional fourth and fifth years for the 'best-of-best' projects aimed at producing tangible products that could be brought to market very quickly.

The NURI program is now part of the NGA Academic Research Program (NARP), which also includes funding to historically black colleges and universities, service academies, and intelligence community postdoctoral research fellowships. Each year NARP's focus is different and includes a targeted request for proposals and numerous site visits by NGA staff. With an annual research symposium in which investigators present their results, NARP has grown to become an important, if not the leading, source of research funds in geographic information science research in the United States. The following section describes in more detail the full suite of mechanisms currently used by NGA for funding research.

### RESEARCH FUNDING BY NGA

NGA's geospatial research and development investment in the advancement of geospatial science and technology is largely administered through the InnoVision Directorate, yet it is manifested through a variety of specific programs both inside and outside NGA. These investments contribute to multiple academic disciplines, affect all of NGA's mission imperatives, follow a variety of organizational models, and address different systems architectures.

The InnoVision Directorate forecasts future environments, defines future needs, establishes plans to align resources, and provides technology and process solutions to lead NGA, with its customers and partners, into the future. InnoVision also provides the focal point in NGA to address research and develops comprehensive plans and technology initiatives based on the analysis of intelligence trends, technology advances, and emerging customer and partner needs. InnoVision drives NGA transformation by linking needs, analysis, plans, advanced technologies, programs, and resources and also champions the transformation of the intelligence community. This, of course, includes investment in geospatial science and technology research and development in many forms. The InnoVision Directorate assumed the legacy of investment in geodetic sciences, geoprocessing, remote sensing, and geospatial analysis from a variety of predecessors including DMA, NPIC, NIMA, and others. The InnoVision Directorate invests in a matrix formed by the intersection of these core geospatial science and technology disciplines and NGA's mission imperatives. Each mission imperative involves almost every area of geospatial science and technology. Every mission imperative also benefits from research that is conducted through a variety of organizational means.

Specifically, NGA benefits from research conducted through underwriting of postdoctoral research; grants to academic principal investigators; research contracts to academicians; research contracts to industry researchers; time and materials contracts with system integrators; focused

development contracts with product vendors; cooperative research and development agreements (CRADAs) with government labs; cooperative engineering efforts among government, university, and industry; and venture capital investments. This suite of programs collectively provides by far the majority of funds available for geospatial research in the nation.

NGA's primary research support mechanisms include the following organizational means:

- NGA Academic Research Program
  - NGA University Research Initiatives
  - Historically Black Colleges and Universities and Minority Institutions (HBCU-MI) Research Initiatives
  - Service Academy Research Grants
  - Intelligence Community Postdoctoral Research Fellowships
- InnoVision
- Defense Advanced Research Projects Agency
- National Security Agency Disruptive Technology Office
- Department of Defense Advanced Concept Technology Demonstrations (ACTDs)
- Cooperative Research and Development Agreements
- Small Business Innovation Research (SBIR) Program
- Open Geospatial Consortium (OGC) Interoperability Program Initiatives
- Large System Integration Contracts
- National Technology Alliance and Rosettex
- In-Q-Tel

The synergies among these programs and divisions are quite important. For example, NGA's interest in airborne persistent surveillance has inspired and influenced the following:

- Academic geodetic research to support better inertial navigation (NARP);
- Multiple ACTDs (namely, urban reconnaissance, interferometric synthetic aperture radar, rapid terrain visualization, Predator-B, Global Hawk, and Gridlock);
- BAAs through DARPA, the Army, and the Air Force;
- Sponsorship of SensorWeb activities within OGC; and
- Substantial numbers of system integration contracts.

These organizational means are discussed in detail in the following sections.

### **NGA Academic Research Program (NARP)**

NGA conducts a multidisciplinary program of basic research in geospatial intelligence topics through grants and fellowships to the leading investigators, research universities, and colleges of the nation. This research provides the fundamental science support for NGA's applied and advanced research programs to address shortfalls in imagery and geospatial science and technology supporting the National System for Geospatial Intelligence. The component programs under the NARP funding umbrella include research initiatives with universities, HBCU-MIs, and service academies. A postdoctoral research fellowship program is also under way.

#### *NGA University Research Initiatives*

Started in 1997, the NURI program extends an annual solicitation for basic research proposals in geospatial intelligence disciplines from U.S. academic institutions. The solicitation topics are selected to provide the scientific basis for advanced and applied research in NGA core disciplines. The stimulation of graduate programs in geospatial intelligence-related disciplines is an additional benefit to the basic geospatial intelligence research conducted under the NURI program.

#### *Historically Black Colleges and Universities and Minority Institutions Research Initiatives*

In 1998, this program was created to provide basic research grants of more limited scope. These two-year research grants are awarded competitively to investigators at HBCU-MIs across the U.S. academic community. The annual solicitation topics are selected to provide the scientific basis for advanced and applied research in NGA core disciplines.

#### *Service Academy Research Grants*

For more than 20 years, NGA and its predecessor agencies have awarded annual research grants to conduct basic research in the geospatial sciences and to enhance geospatial science education at the U.S. service academies (Army, Navy, Air Force, and Coast Guard). This program directly impacts the geospatial intelligence knowledge and awareness of 13,000 future officers in the Department of Defense and the Department of Homeland Security.

### *Intelligence Community (IC) Postdoctoral Research Fellowships*

In 2000, the chief scientist of the Central Intelligence Agency established the Director of Central Intelligence Postdoctoral Research Fellowship Program, now called the Intelligence Community Postdoctoral Research Fellowship Program. This annual solicitation for proposals seeks to establish long-term relations and mentoring of postdoctoral researchers at leading U.S. academic institutions and federal or national laboratories. NGA serves the intelligence community as the executive agent for the IC postdoctoral program. Each IC agency contributes topics to the solicitation that reflect either agency-specific interests or broader interests across the intelligence community.

### **InnoVision**

Beyond its sponsorship of academic geospatial science and technology research and development (R&D), the InnoVision Directorate directly funds other types of geospatial R&D projects and sponsors R&D through other agencies and organizational means. InnoVision has the authority to make awards based on its own broad area announcements. InnoVision's 2003 BAA, for example, requested different kinds of proposals: thesis-grade scientific or technical paper(s) that addressed general or specific GEOINT concepts, ideas, approaches, and/or techniques; and advanced systems, tools, software, or products that demonstrated significant value when added to GEOINT products, data, information, knowledge, decisions, approaches, and/or techniques of persistent surveillance imaging (or other persistent sources). In addition to BAAs, InnoVision has also funded initiatives such as the Synergistic Targeting Auto-extraction and Registration (STAR) Program, which addressed the automated and semi-automated extraction of information from imaging sensor data. Areas of interest include feature extraction for production of geospatial information, automated or aided target detection and recognition, change detection, automated image registration, and imagery and information fusion to support each of these areas.

### **Defense Advanced Research Projects Agency**

NGA has a history of funding a variety of DARPA R&D programs that have had an effect on knowledge creation across the geospatial science and technology arenas. DARPA makes awards to industry, academia, research institutes, national labs, and teams comprised of any of the above. In the geospatial R&D realm, DARPA has devoted a considerable amount of resources to R&D into new platforms (in situ, mobile,

tactical, and space based) and sensors (particularly hyperspectral and machine vision sensors). DARPA has also expended considerable resources on R&D into software that exploits data collected by these platforms and sensors.

### **Disruptive Technology Office**

NSA's DTO fosters collaboration throughout the intelligence world with the technical and scientific communities in academia, the national laboratories, and the commercial sector. DTO then helps transfer emerging solutions to the intelligence community technology centers for integration and implementation. Like DARPA, DTO also commonly uses broad area announcements. DTO funds geospatial sciences R&D jointly with NGA through its Advanced Research in Interactive Visualization for Analysis (ARIVA) Program. DTO's mission is to sponsor high-risk, high-payoff research designed to leverage leading-edge technology in the solution of some of the most critical problems facing the IC. The phase one focus of DTO's ARIVA program seeks to dramatically improve the visualization of geospatially based national-level foreign intelligence information.

### **Advanced Concept Technology Demonstrations**

Recently, NGA has played a significant sponsorship role in a variety of ACTDs<sup>1</sup> (Garrett, 2004). ACTDs exploit mature and maturing technologies to solve important military problems. Work done under ACTDs generally spans what might traditionally be called R&D and what otherwise might be thought of as demonstration. In particular, the ACTD process is focused on rapidly transitioning new capabilities from the developer to the user. ACTDs are largely industry focused, since they concentrate on demonstrating mature or maturing technologies that could be procured rapidly for real mission gain. The funding for these ACTDs is substantial, with the Office of the Secretary of Defense proposing \$40 million for ACTDs in its FY2006 budget. ACTDs are designed to develop over the course of three to four years, with immediate technology transfer into operation. The disciplinary and mission focus of ACTDs can range widely, but the ACTDs cosponsored by NGA have focused largely on unmanned airborne vehicles, airborne sensors, and the processing of data from these sensors.

---

<sup>1</sup>See the Joint Tactical Terrain Technologies JT3 web page at <https://portal.jpsd.belvoir.army.mil/jt3/jt3.htm>.

### **Cooperative Research and Development Agreements**

To encourage the transfer of technology between the government and the private sector and to enhance U.S. competitiveness, Congress passed legislation under the Federal Technology Transfer Act of 1986 (P.L. 99-502) that promotes technology transfer by introducing the CRADA as a mechanism to increase federal laboratories' interaction with industry. NGA uses CRADAs for its technology partnerships and actively seeks commercial and academic research collaborators. A CRADA is not a procurement or a grant, but a means to pursue joint research goals while protecting and creating intellectual property and a means of granting certain rights for licensing to a commercial partner.

### **Small Business Innovation Research**

The DoD Small Business Innovation Research program funds early-stage R&D at small technology companies. NGA issues an SBIR via this mechanism once a year. It involves a phase I award of up to \$100,000, which if successful, may result in a two-year phase II award of up to \$500,000 to further develop the concept, usually to the prototype stage. After this point, other funding must be used to develop a commercial product from the concept.

### **Open Geospatial Consortium**

OGC is a nonprofit, international standards organization that is leading the development of standards for geospatial and location-based services. Through member-driven consensus programs, OGC works with government, private industry, and academia to create open and extensible software application programming interfaces for geographic information systems and other mainstream technologies. In the case of the OGC Interoperability Program, members sometimes receive "cost-sharing" funds provided by sponsors (such as NGA) to offset some of the costs associated with developing or documenting new interoperability technologies. NGA has been a longtime sponsor of OGC, which has allowed the agency to play a leadership role in defining interoperability specifications for distributed geoprocessing, as well as work in partnership with a broad range of other organizations to help create significant standards alignment across industry. NGA's investments in OGC specifically support an open architecture. This architecture supports a wide range of NGA's mission imperatives and allows the incorporation of advances in research from a variety of geospatial science and technology disciplines.

### **Large System Integration Contracts**

There are still quite a few geospatial science and technology research activities at NGA that require large teams of technical staff with appropriate security clearances. This is due to the closeness of the problem to particular “sources and methods.” For example, an R&D project might experiment with large-scale, automated processing of data from a classified sensor. Although the work is very similar to the type of R&D that might be conducted under a NARP grant by an academician, the sensitivity of the sensor and the mission-critical nature of the work will lead this work to be conducted by one of NGA’s large system integrators.

While this work can be sponsored by the InnoVision Directorate, it may fall under existing system contracts managed by the Analysis and Production Directorate or the Acquisition Directorate. Individual projects will often receive more funding than the entire NARP.

Supporting the transplant of basic R&D through the transition to a commercial application will benefit NGA as it shifts from a digital, datacentric environment to a geospatial intelligence knowledge base. A possible role model for such transfers is the Lockheed Martin GeoScout contract. GeoScout’s mission is systems integration in support of implementing the National System for Geospatial Intelligence. In conjunction with modernizing NGA infrastructure, the engagement of both basic and applied academic research with an enterprise system integrator will connect academic and industry research networks, thus expanding scientific expertise nationwide. Just as importantly, it will facilitate transition of research to practice for innovations within the intelligence community and will speed the transition to GEOINT2.

### **National Technology Alliance (NTA) and Rosettex**

NTA was established in 1987 to foster relationships with critical commercial technology sectors, to reduce the barriers that inhibit commercial firms from working directly with the government, and to motivate commercial firms to address community needs in new product development. NGA is the executive agent for the NTA program and is chartered to execute the program on behalf of the IC, DoD, and other government agencies. By design, NTA encourages cross-department and cross-agency cooperation.

NTA’s geospatial R&D covers three specific technology thrusts concerned with discovering, initiating, or accelerating the development of commercial technologies and applications for geographic information systems and cartography that facilitate more effective and timely image and geospatial data analysis, production, and presentation. In 2002, NGA

awarded procurement agreements to the Rosettex Technology and Ventures Group, a joint venture formed by Sarnoff Corporation and SRI International, and the Chemical, Biological, and Radiological Technology Alliance (CBRTA), administered by 3M Company, to address technology needs in geospatial intelligence; information processing; data management; information technology infrastructure; and chemical, biological, and radiological defense and security. Between them, Rosettex and CBRTA have assembled teams of more than 100 leading research universities, institutes, laboratories, and commercial companies, with facilities in 34 states and across the globe, to support these processes.

### **In-Q-Tel**

In 2002, NGA established a partnership with In-Q-Tel to support investment in geospatial technology advancement. Chartered in 1999 as a private, independent, nonprofit corporation, In-Q-Tel is an evolving blend of corporate strategic venture capital, business, nonprofit, and government R&D models. In-Q-Tel leverages third-party money and resources to deliver technology solutions that the intelligence community could not afford to develop on its own and, thus, can deliver technologies that will be supported over the long run by government and commerce. Designed to increase the IC's access to new technologies and talent, In-Q-Tel involves government and private labs and universities, and both start-ups and established enterprises, in unclassified activities. In-Q-Tel and NGA partner on geospatial technology investments and next-generation geospatial information systems to move beyond cartography to develop fully integrated analytic environments for geospatial and location information and services.

### **SUMMARY**

NGA has redefined its own mission around a new form of intelligence, GEOINT. Consequently, NGA faces major challenges in the years ahead, and research will play a strategic and critical role in ensuring that current and future goals are met. While NGA has been active in promoting research, this has occurred through parallel and generally independent mechanisms, publicly most visible through NARP. In the following chapters, the committee reports on its examination of the challenges that must be supported by research, the most difficult research questions that have to be addressed, and the institutional and technical framework for research within NGA. Recommendations are made to assist NGA in reaching its ambitious future goals.

# 3

## NGA Challenges

### OVERVIEW

The National Geospatial-Intelligence Agency's (NGA's) vision for the future of geospatial intelligence (GEOINT) is ambitious and, if achieved, is likely to sustain the information dominance doctrine of the nation's intelligence community (Joint Chiefs of Staff, 2000). Achievement of this goal, however, requires that numerous challenges be met, in both research and technology. These challenges involve problems of improving the existing GEOINT infrastructure, as well as designing and building the next infrastructure. These challenges also provide a basis for the specific research-oriented "hard problems" identified in the next chapter. A pivotal challenge to NGA is that it must remain operational during any disruptive transition or "paradigm shift" by exploiting quantum and incremental improvements in today's operational systems and architectures. This challenge impacts NGA as it identifies areas for priority research. How can NGA build a targeted research program to create breakthroughs in geographical and information science that will lead to new systems, information advantages, and assets to match the needs of the next era?

### TOP 10 CHALLENGES

In briefing materials given to the committee, NGA enumerates a set of problems of immediate concern: the top 10 list of challenges that must be met to prepare intelligence at the global, regional, and local levels:

1. Achieving persistent “tasking, processing, exploitation, and dissemination” (TPED);
2. Exploiting all forms of imagery, in the context of persistent surveillance, including the following challenges (3-6):
  3. Detecting weapons of mass destruction;
  4. Tracking moving targets;
  5. Thwarting denial and deception; and
  6. Targeting precisely;
7. Compressing time lines (for preparation and dissemination of intelligence);
8. Sharing with (coalition) forces, foreign partners, and communities at large;
9. Supporting homeland security; and
10. Promoting “horizontal integration.”

The immediacy of these challenges requires a research agenda that simultaneously addresses these short-term needs, while it pursues the evolution to a next-generation methodology for dealing with geospatial intelligence, GEOINT2. The vision for GEOINT2 involves bringing intelligence into a single operating environment that will allow analysts to draw from a variety of sources when making interpretations. Data for a specified location on Earth’s surface require both general knowledge of human and physical processes and specific knowledge of geography, culture, and tradition. Data on the physical environment may be directly measurable by sensors, or come from maps, but other data will come from the other intelligences (INTs), especially from open, public information about people and their lands. It is tempting to compare the necessary source integration to the multiple map-layer data model commonly encountered in NGA’s existing geographic information system (GIS) technology. Intelligence layers currently include weather information, strategic battle planning overlays, intelligence reports, and a layer attributing navigation safety. The underlying data foundation layers include georeferenced gravity data, vector features, bathymetry and elevation, intelligence baselines or reference data, and imagery.

A layered model, however, is inadequate. Multisource information does not easily resolve into layers; consequently, this information fits poorly with the existing GIS approach. For example, sensor webs provide data in real time that are spatially and temporally discontinuous and asynchronous, and often point-based. Human and signals intelligence may be in the form of textual reports with place name and other references. Data may also arrive as video, audio, web-based extensible markup language (XML), or any of a plethora of other media formats. The simple “data integration by spatial coregistration” standard that is the foundation of

GIS needs to be superseded by the placement of data into a time-space framework, with data elements being able to take the form of objects or features rather than components of a static map or image. In such a system, attributes should be attached to objects, not to artifacts of the systems architecture that created them: images, map sheets, reports, or networks.

Furthermore, these answers need to be delivered in near or actual real time, through distributed environments with multilevel security masking, and via context-sensitive interfaces on mobile, hand-held, or head-mounted displays. When working in near or actual real time, there is no time to wait for multiple forms of intelligence (MULTI-INT) to become integrated through conversion to GIS layers, nor will the intelligence demands of tomorrow fit into this simple model. Integration is indeed one of the central challenges. The National Intelligence Strategy dictates that “transformation of the intelligence community will be driven by the doctrinal principle of integration” (Negroponte, 2005). This will be true at NGA both organizationally and technically.

Not only is NGA responsible for solutions to its own operating and research challenges, but as functional manager for the National System for Geospatial Intelligence (NSG), NGA has the responsibility to set future directions for national geospatial activities, including an overall national vision of imagery, imagery intelligence, and geospatial investment. This vision is likely to have a profound influence on the future of most of the agencies involved in the collection and use of intelligence. Specific goals of the NSG Statement of Strategic Intent mandate specific actions from NGA (see Box 3.1) (NGA, 2004b). Research supporting the NSG Strategic Intent will have to transform the NSG infrastructure from a strategy for analysis based on data to analysis based on knowledge derived from interpretations.

The catch phrase adopted in the NSG community is “*Now, Next, and After Next.*” The phrase is designed to foster a transformation to GEOINT2 and to guide activities in specific NGA line directorates. Current activities, or *Now*, are accomplished by three line directorates: Source Operations, Enterprise Operations, and Analysis and Production. *Next* activities are carried out by the Acquisitions Line Directorate and refer to advancements in the immediate and short-term future that are based on results of research that are now moving into commercialization and production. *After Next* refers to the planned state of GEOINT that can be attained as challenges to existing and longstanding geospatial problems are met; it is carried out by InnoVision, NGA’s research and development directorate. This report covers both the “next” and the “after-next” stages and recognizes that it will take both shorter-term development of new technologies (next) and more basic research (after next) to reach the goal of GEOINT2.

**BOX 3.1**  
**Specific Goals of the NSG Statement of Strategic Intent**

- Respond to data analysis and interpretation demands in a continuing state of crisis.
- Champion major investments to move to the next level of NSG capabilities.
- Drive future technical trends and apply them to operational needs.
- Insert technology rapidly and provide geospatial intelligence data and services.
- Align human resource plans, policies, and services with the NSG Statement of Strategic Intent.
- Transform NSG business practices to enhance the provision of geospatial intelligence.
- Capitalize on traditional and nontraditional intelligence sources, such as National Technical Means, airborne, civil, and commercial sources.
- Champion multi-intelligence collaboration.
- Rely on domestic and foreign partners to help execute the NSG mission and, in so doing, transform the NSG infrastructure.

**RESEARCH CONTEXT FOR GEOINT2**

The framework that can support research and bring about the transformation to GEOINT2 requires fundamental and high-risk research in both basic and applied science (NRC, 2001). Basic research builds on existing theory without regard to specific application, while applied research develops new theories and methods without regard to existing families of problems. In NGA's case, high-risk research is both basic and applied. There can be a benefit in having diversity and an open-ended perspective for high-risk research. Given rapid changes in technology, there are many unknowns, and allowing sufficient flexibility to explore many research directions simultaneously may create benefits over a highly directed and coordinated research agenda. Therefore, four critical issues are (1) how much fundamental research should be basic and how much applied; (2) how much research in NGA's portfolio should be high risk; (3) to what disciplines should the research be targeted; and (4) how can these disciplines collaborate to perform the interdisciplinary research necessary for GEOINT2?

The NGA chief scientist identifies the following disciplines as pre-eminent in pursuing basic research that is applicable to the NSG Strategic Intent:

- *Geodesy and geophysics*—including measurement and modeling of Earth's shape and gravity, precision location, and photogrammetry
- *Advanced geoprocessing*—including architectures and design, special issues for geospatial-image computation, data mining, advanced synthetic aperture radar (SAR) processing, information technology (IT) for massive data files, mass storage, databases or structures, visualization, and high-performance computing
- *Remote sensing*—including sensor systems, phenomenology, analytical techniques, image processing, collection strategies or tasking, imagery science, polarimetry, and hyperspectral science
- *Geospatial intelligence analytics*—including spatiotemporal distribution, association, and behavior and interaction of natural phenomena on and near Earth's surface

These disciplines will require attention from NGA, as will fostering interdisciplinary work among them, which will be more difficult. Attention is required because NGA has a vested interest in maintaining a strong U.S. presence in these fields and in ensuring a geographically distributed and representative body of expertise that it can draw upon for employees and leaders, as well as for research. Many U.S. programs—for example in surveying engineering and geodesy—have declined in size and quality over the last decades. Similarly, there is a growing need for skilled scientists and engineers who can work across these disciplines or facilitate exchanges among the specialized groups. Even fewer programs teach such interdisciplinary science, and the few that do have difficulty finding a niche to ensure continued funding and support. A model program to counteract the lack of interdisciplinarity is the National Science Foundation's Integrative Graduate Education and Research Traineeship (IGERT) centers, which often target building human capital and centers of excellence in specific interdisciplinary matches.

The research needed to address NGA's GEOINT challenges is not unique to NGA, but reflects overarching themes in GIScience (geographic information science) research. In other words, it reflects the need for advancements in data acquisition, target identification, integration of disparate types of data from many sources, data analysis to derive needed information, dissemination, and preservation for future use. Others in the GIS community have enumerated sets and supersets of longstanding research problems. One such enumeration originates with the University Consortium for Geographic Information Science (UCGIS), a consortium of more than 80 North American universities, professional organizations, and private vendors in which GIScience is taught and researched. UCGIS has established itself as the central network for the academic GIS research

community, especially in defining critical research areas (UCGIS, 1996) that can be addressed in the short, medium, and longer terms. The set of UCGIS enduring research challenges (or *priorities*) emphasizes basic research about unsolved problems associated with acquiring, processing, interpreting, disseminating, and preserving geospatial information (McMaster and Usery, 2004). The chronology of research priorities is available in white paper format.<sup>1</sup>

The first group of UCGIS priorities concerns longstanding problems associated with the geospatial data infrastructure. These include spatial data acquisition and integration, distributed computing, interoperability of geographic information, and the future of the geospatial information infrastructure. All of these priorities match NGA's research needs closely. A second group of priorities relates to data use and representation: extending geographic representation, cognition of geographic information, and GIS and society. A third group of priorities addresses specialized analytical methods required for processing geospatial data: geographic scale, spatial analysis in a GIS environment, and uncertainty. Since 2002, four additional research priorities have been enumerated by UCGIS, reflecting advances in information technology and in knowledge. These are geospatial data mining and knowledge discovery, ontological foundation, geographic visualization, and remotely acquired geospatial information. The 2002 UCGIS research agenda priorities are shown in Box 3.2.

It is interesting to note that the 10 longstanding problem topics originally identified in 1996 persist and, to a large extent, are closely reflected in the NGA top 10 list. This does not indicate a lack of advancing knowledge, but instead points to the complexity, breadth, and depth of the enduring challenges that arise in dealing with geospatial data in general and GEOINT in particular. It also highlights the current and potential synergy for innovative research in geospatial science between NGA and academia.

Missing from both agendas, however, is the need for research into new geospatial information systems architectures and associated software and standards that will facilitate flexibility in analysis tasks, as well as a greater degree of interaction between software components used for analysis, visualization, and archiving. Also needed are advances in IT research. Such advances are being addressed by the computational science and engineering community, but the IT and geospatial research communities will have to collaborate in order to achieve NGA's research goals. Finally, within an organization such as NGA, research on the integration

---

<sup>1</sup>Visit [www.ucgis.org](http://www.ucgis.org) and click on Priorities.

**BOX 3.2**  
**UCGIS 2002 Research Agenda**

Long-Term Research Challenges

- Spatial Ontologies
- Geographic Representation
- Spatial Data Acquisition and Integration
  - Remotely Acquired Data and Information in GIScience
- Scale
- Spatial Cognition
- Space and Space-Time Analysis and Modeling
- Uncertainty in Geographic Information
- Visualization
- GIS and Society
- Geographic Information Engineering
  - Distributed Computing
  - Future of the Spatial Information Infrastructure
  - Geospatial Data Mining and Knowledge Discovery

of the complete system, from acquisition to preservation, including the human factors involved, both present and future, is relatively absent. This is in spite of important work on systems integration issues such as standards and interoperability.

Using knowledge about hard problems in geospatial information science as a starting point, in the next chapter this report focuses on the subset of these hard problems that are of most relevance to NGA in advancing GEOINT.

**SUMMARY**

This chapter begins with a review of NGA's own assessment of the short-term challenges it faces in current operations and an assessment of how these immediate challenges imply broader research needs. It then puts these challenges in the context of research in general, and of GIScience research in particular, using UCGIS's past efforts to illuminate the research challenges for GIScience. While there is much overlap, NGA's research must nevertheless be context specific to the challenge of creating GEOINT2 while supporting and improving existing systems. Traditional

GIS models that use layers and collocation as a means of data integration will be replaced by support for feature-level information that is independent of the collection systems used to acquire the data. In Chapter 4, the “top 10” list is used to structure the hard problems that NGA research faces and suggest promising solutions.

## 4

# Hard Problems and Promising Approaches

The National Geospatial-Intelligence Agency (NGA) has historically carried significant responsibilities in mapping, charting, geodesy, and imagery analysis to gather geospatial intelligence, such as the locations of obstacles, navigable areas, friends, foes, and noncombatants. However, the creation of geospatial intelligence not only requires optimal performance in these four areas, but also demands an effective integration of the four functions that comprise persistent TPED (i.e., tasking, processing, exploitation, and dissemination of data) over vast geographic areas and at the time intervals of interest. Moreover, as NGA transitions from a “data-driven” model to a “data- and process- driven” model in order to provide timely, accurate, and precise geospatial intelligence, the need to integrate other sources of intelligence with geospatial intelligence becomes even more critical.

This chapter lists a set of as-yet unsolved or “hard” problems faced by NGA in the post-9/11 world. They are organized into six classes that align with the NGA top 10 challenges: achieving TPED; compressing the time line of geospatial intelligence generation; exploitation of all forms of intelligence (which includes challenges 2-6); sharing geospatial information with coalition and allied forces; supporting homeland security; and promoting horizontal integration. Note that the third category has been broadened from “all forms of imagery” to “all forms of intelligence” to reflect the evolution of geospatial intelligence (GEOINT) beyond an imagery focus. Also identified are promising methods and tools for addressing the hard problems. Virtually none of these tools are part of NGA’s current

systems architecture or set of operating procedures, and so should be termed “disruptive.” Disruptive methods necessitate retraining and redesign at the least. However, it is likely that many of the tools will be introduced incrementally; therefore the transformation itself may feel evolutionary to those involved. Many of the problems involve extensions to spatial database management systems (S-DBMS), which have long been seen as different from the standard DBMS used in information technology and commerce. Such systems are essential to manage vast data holdings, yet only recently have they been adapted for geospatial data and the special needs of GEOINT.

Based on the committee’s knowledge of the hard problems in geographic information science (GIScience) and information from NGA (as described in earlier chapters) on the current and future challenges in developing GEOINT, the subset of hard geospatial research problems most relevant to NGA was selected as the list of “hard problems” identified here. Aspects that can be addressed in the short term versus the long term are discussed after each hard problem. Then, based on knowledge of current research and literature, and after considerable debate and discussion, the committee selected methods and techniques that seem most promising for addressing the hard problems. These are not ranked in any way, but were seen by the committee as potential starting points for future research. As a final step, a prioritization of the hard problems is proposed in Chapter 6.

## ACHIEVE PERSISTENT TPED

### Hard Problems

In the post-9/11 world, persistent tracking, processing, exploitation, and dissemination of geospatial intelligence over geographic space and time is crucial. However, current sensor networks (i.e., remote sensing using satellites and aircraft) and database management systems are inadequate to achieve persistent TPED for many reasons. First, current sensor networks were designed for tracking fixed targets (e.g., buildings, military equipment). They are sparse in space and time, and it takes a long time (e.g., hours) to move sensors to focus on the desired geographic area of interest for the relevant time interval. Lastly, even if an appropriate network were employed, current databases do not scale up to the significantly higher data rates and volumes of data generated by deployed sensor arrays. Basic and applied research on next-generation sensors, sensor networks, and spatiotemporal databases is crucial to achieving persistent TPED. Of particular importance has been the rapid development and deployment of unpiloted aircraft with multiple sensor systems that

can remain aloft for long periods of time, such as Predator and Global Hawk. In the future, swarms of such aircraft linked to more static sensor webs will provide enormous amounts of space-time data. Ground sensors include cameras, microelectrical mechanical systems or motes, data retrieved via the Internet such as weather information, and other devices (Warneke and Pister, 2002). Such systems of linked sensors will create a sensor web or network with enhanced capabilities, just as connecting computers together into networks has transformed computation. Yet sensor network theory is in its infancy, and even some of the first-generation technology lacks operational robustness. Much existing research and development to date has been on applications outside the geospatial context (Bulusu and Jha, 2005). Lastly, the ever-growing suite of positioning technologies continues to improve in accuracy and to overcome some of the initial problems of the global positioning system (GPS). Similarly, as location-based services move into broad consumer use, new products and services have become available for GEOINT.

Research is needed to improve the design and effectiveness of sensor networks. Many issues are highly spatial, for example the optimization of sensor suites, quantities and locations, the mix of stream versus temporally sampled data, the mix of static versus mobile sensors, and the movement of sensors to adaptively sample activity. In addition, new sensor types can be used to supplement and build on existing systems for imaging, mapping, and data collection. For example, a software program monitoring Internet traffic is a sensor, as also are civil systems such as air traffic control and camera-based traffic monitoring systems. Indeed, any mobile operative with a positioning device could be considered an input device to a sensor net. Furthermore, sensors can now be adaptable in terms of timing, fault tolerance, and power consumption in addition to geographical placement and movement. Given the importance of nontraditional sensor networks, their linkage to geographical space, and the need to integrate the information that they supply both within and across systems, the committee recommends the following.

**RECOMMENDATION 1: Sensor network research should focus on the impact of sensor networks on the entire knowledge assimilation process (acquisition, identification, integration, analysis, dissemination, and preservation) in order to improve the use and effectiveness of new and nontraditional sensor networks. Particular emphasis should be placed on the relation between sensor networks and space, sensor networks and time, accuracy and uncertainty, and sensor networks and data integration.**

From NGA's perspective, this is more important than pursuing new variants in existing sensors, since industry now seems capable of delivering innovations for a growing nonmilitary sensor market in the coming years.

One of the shorter-term issues related to sensor networks relates to scheduling of sensors. Traditionally, the NGA has relied on space-based and airborne sensors. Even though the resolution of measurements is improving over time, space-based sensors tend to have coarse resolution and require time for repositioning. Space-based sensor systems are costly and must be designed and deployed years in advance of use. In the short term, the NGA will deploy novel sensors to detect subsurface and hidden human activity and military equipment. Sensor networks will include ground-based fixed as well as mobile sensors to provide even finer resolution and better persistence. However, it is expensive to provide persistent coverage of large geographic areas over long periods of time. Thus, benefits can be gained in the short term by addressing the geospatial scheduling problem to minimize the time to reach arbitrary locations and to maximize coverage. Scheduling will involve sequencing a suite of sensors, both ground and air, and not simply dealing with the details of aircraft access and orbital position. Scheduling problems of this type, however, can become computationally complex and involve multiple, conflicting criteria. Consequently, research on efficient multicriteria optimization methods that can be used by decision makers to configure sensor arrays is needed.

The new streams of multisensor data will strain existing database systems and require new approaches to dealing with vast quantities of time- and space-stamped information. There are challenges across the board for the development of spatiotemporal database management systems (ST-DBMS) and analysis routines based on the time-space patterns they reveal. Research will have to build a theoretical understanding of the tracking and recognition of movement, both of objects and of more complex entities such as smoke, clouds, weather systems, and biothreats. While GIScience has begun work in the area of methods for the analytical treatment of time-space trajectories or lifelines (e.g., Laub et al., 2005; Peuquet, 2002), and the importance of the concept is represented well in the University Consortium of Geographic Information Science (UCGIS) research agenda (McMaster and Usery, 2004), much work on data structures, analytical methods, and theory remains. Research to date has been centered on transportation systems and human activity space, including visualization and description of process (McCray et al., 2005; McIntosh and Yuan, 2005; Miller, 2005a). Much is based on Torsten Hagerstrand's concept of a time line or prism (Kraak, 2003; Miller, 2005b). As yet, however, little research pertinent to GEOINT has been done. Consequently, the committee recommends the following.

**RECOMMENDATION 2: Research should be encouraged on spatiotemporally enabled geospatial data mining and knowledge discovery, on the visualization of time-space, and on the detection and description of time-space patterns, such as trajectories, in order to provide the new data models, theory, and analytical methods required for persistent TPED. Specific problems are real-time inputs, sparse and incomplete data, uncertain conditions, content-based filtering, moving targets, multiple targets, and changing profiles in time and space.**

In addition, there is a strong likelihood that future sensor networks will outstrip the capacity and capabilities of systems for data management, reduction, and visualization. Many statistical packages and GISs, for example, place a limit on the maximum number of features or records they are capable of processing (e.g., samples, nodes, polygons). While ArcSDE and Oracle 10g have support for raster databases, in general current S-DBMS only poorly support many subtypes of geospatial intelligence data models, including raster (e.g., imagery), indoor spaces, sub-surface objects (e.g., caves, bunkers), visibility relationships, or direction predicates (e.g., left, north). Research is needed to develop next-generation S-DBMS, if current commercial or research prototype S-DBMS fail to meet the performance needs of persistent TPED. The committee recommends that such research be conducted.

**RECOMMENDATION 3: Research should be targeted at the ability of current database architectures and data models to scale up to meet the demands of agile geospatial sensor networks. The next generation of spatial database management systems must be able to flexibly and efficiently manage billions of georeferenced data records. These systems should support time-space tracking, automatically create and save metadata, and make active use of data on source accuracy and uncertainty.**

Research on the problems of representing, storing, and managing unprecedented amounts of spatiotemporal data streams from sensor networks is generally a longer-term issue. Specific challenges (Koubarakis et al., 2003) are semantic data models, query languages, query processing techniques, and indexing methods for representing spatiotemporal datasets from sensor networks. In particular, research should explore high-performance computing techniques (e.g., data structures, algorithms, parallel computing, grids) to deal with the volume of data coming from

sensor networks for achieving persistent TPED. Also, the steady migration of imagery from the multispectral to hyperspectral and ultraspectral realms will demand the generation of newer and more efficient algorithms and models to enhance imagery exploitation and feature extraction processes. Moreover, the increasing generation of three-dimensional datasets (including light detection and ranging [LIDAR]) from active and passive remote sensors will have to be used in ways that are quite different from the traditional data models that were generated to deal with geospatial data in two-dimensional space. In addition to the three-dimensional potential of LIDAR, interferometric synthetic aperture radar (IFSAR) will generate substantial amounts of detailed surface data, including details of surface cover such as buildings, structures, and vegetation canopy. However, analysis, representation, and visualization of geospatial intelligence will have to be accomplished in both two-dimensional and three-dimensional environments, on both mobile and virtual clients, and in near real time or real time.

Also in the long term, research will have to be aimed at integrating vastly different data from traditional and nontraditional sensors in both time and space. Given the simultaneous sensing of events by sensors in the air and space, on the ground, and through non-NGA systems (e.g., census data, employment records, criminal justice system reports), the likelihood of false duplicates is probably greater than the likelihood of missing data. Future systems will have to resolve the ambiguity that results from multiple sensors sensing multiple moving targets, probably in real time. Similarly, each sensor will have its own relative and absolute accuracy and level of statistical certainty associated with features and their locations and descriptions. It is essential that the integration solutions devise means to store and use the known measures of these properties so that they can be applied to derivative products and decisions. For all of these reasons, sensor integration is considered a priority in the research agenda.

Other long-term issues include the development of techniques for combining data of different spatial and temporal resolution, with different levels of accuracy and uncertainty, including both conflation and generalization. Integration applies not only to data items, but also to data catalogs. Since the type of features apparent in an image or dataset may vary with resolution, the development of thesauri that match feature semantics (including behavior) rather than feature types is a current research need. This could lead to deployment of fully operational multi-scale or scaleless databases. A third area of relevance is the fusion of two-dimensional and three-dimensional datasets, resolving uncertainties such as those caused by building shadows and varying information quality (Edwards and Jeansoulin, 2004).

## Promising Methods and Techniques

### *An Agile Geospatial Sensor Network*

The emerging research area of location-based services (LBS) is providing algorithms for determining optimal positioning of mobile servers to minimize the time to reach an arbitrary geographic area of interest. Such algorithms may be used to evaluate the quality of current geospatial scheduling methods for mobile sensor platforms (Bespamyatnikh et al., 2000). If current scheduling methods are not optimal, LBS research can be used to reduce the time to reach unanticipated geographic areas specified by customers of NGA. In addition, newer sensor platforms, such as motes and remote-controlled mobile platforms deployable via air drops, have the promise to reduce the time of positioning sensors over geographic areas of interest (Warneke and Pister, 2002). Moreover, autonomous and distributed sensor networks capable of locally optimizing sensor tasking and collection rather than centralized accumulation and processing of geospatial-temporal data will provide greater efficiency in information generation (Lesser et al., 2003).

### *Spatiotemporal Database Management and Analysis Systems*

Many current GIS software vendors have moved their systems architecture to a georelational database model incorporating object-oriented properties. The consequent tools have led to experiments with data model applications templates (e.g., for intelligence uses) that encourage reuse and interoperability and can be used in more complex “model building” operations and systems database design that is more conducive to use over the Internet in a variety of client-server architectures. Exploration of the consequences of this transition is not yet complete, especially for processing time-related transactions (Worboys and Duckham, 2005). New theory may be necessary. Research is needed on semantic data models, query languages, query processing techniques, and indexing methods for representing spatiotemporal datasets from heterogeneous sensor networks. Extensions beyond the Quad, R, and S trees will be necessary, and new search and query tools based on spatiotemporal zones and patterns will be required. Some convergence of time-space geography and time-space data management will also be necessary.

Extensions to analytical methods to incorporate temporal as well as spatial description and inference should be a priority. Multicriteria analyses and object tracking are in the early stages of development (Bennett et al., 2004). Multicriteria analyses become important, for example, if a decision maker is forced to trade off risk-exposure against time-expedience. What

tools can be used to make objective decisions and to explore the consequences? Analytical methods that incorporate input from multiple participants—for example, in the specification of parameters—offer promise since complex problems require a range of expertise that is rarely held by a single individual (Armstrong, 1994). With further advances in change detection, monitoring individual time-space trajectories is becoming robust and is leading to some potential analytical approaches (Laub et al., 2005; McCray et al., 2005). Monitoring, minimizing, and communicating uncertainty in analytic outcomes is another area of high-priority investigation that is developing methods of value (Foody and Atkinson, 2003). Technologies are beginning to be developed for resolving locations to geographic place names that advance beyond current address matching and geocoding capabilities into telephone communications, news reports, IP addresses, and e-mail (Hill and Zheng, 1999). These place name, or toponymic, services need to offer multilinguistic transliteration and temporal place name shifts. Cultural transliteration remains a difficult problem since the names given to localities can vary among local communities according to cultural activity or context. Research is needed to crosswalk the toponymic view with map and image views.

### *Performance Benchmarking*

Performance benchmarks (Transaction Processing Performance Council, 2005) are an objective way to evaluate the ability of alternative systems (e.g., sensor networks, S-DBMS) to support the goal of achieving persistent TPED. Consider a benchmark to evaluate an S-DBMS (Shekhar and Chawla, 2003) to manage the data rates and data volumes from persistent TPED sensor networks. The benchmark may contain specific geospatial intelligence data streams and datasets, geospatial analysis tasks, performance measures, and target values for the performance measures. Spatial database vendors and research groups could be invited to evaluate commercial (e.g., object-relational database management systems that support open geographic information systems spatial data types and operations) and research prototype spatial database management systems. If current S-DBMS meet the performance needs of NGA, adoption of current S-DBMS for various kinds of geospatial intelligence data may be appropriate. Specific tasks could include development of a semantic schema and object-relational table structures, plus conversion of existing geospatial datasets and applications to new data representations. However, additional research is needed to develop next generation S-DBMS if current commercial or research prototype S-DBMS fail to meet the performance needs of persistent TPED.

In summary, the hard problems in achieving TPED are the effective use of sensor networks, spatiotemporal data mining and discovery, and spatiotemporal database management systems. Promising solutions are suggested in the areas of developing agile sensor networks; spatiotemporal database management models and theory; detecting patterns within spatiotemporal data; and exploiting performance benchmarking.

## **COMPRESS THE TIME LINE OF GEOSPATIAL INTELLIGENCE GENERATION**

### **Hard Problems**

The timeliness of geospatial intelligence is becoming more crucial due to, among other things, the increasing numbers of mobile targets. Thus, the field of geospatial intelligence is making a transition from deliberate targeting to time-sensitive targeting. It is becoming increasingly important to move toward real-time data generation, processing, and dissemination to reduce latency in intelligence generation and delivery processes. However, the traditional geospatial intelligence generation process relies heavily on manual interpretation of data gathered from geospatial sensors and sources. This poses an immediate challenge given the increasing volume of data from geospatial sensors.

Characterization and reengineering of the geospatial intelligence cycle are crucial to achieve the goal of compressing the time line of geospatial intelligence generation. Characterization of the processes of generating geospatial intelligence would be a good starting point for NGA, including the necessity for and levels of human intervention in these processes. For illustration, consider the following process: Raw Data → Annotated Subset → Summary Patterns → Knowledge and Understanding. In other words, a large amount of raw sensor data is gathered continuously over geographic areas of interest. Human analysts review the stream of raw sensor data to identify and annotate interesting subsets of sensor data. The collection of interesting data items is analyzed to produce summaries and to identify interesting, nontrivial, and useful patterns. Human analysts correlate these patterns with other information to create knowledge and understanding about their meaning and underlying causes. Once the process of geospatial intelligence generation is characterized, the bottleneck steps can be identified, and ways found to reduce the time to complete those steps, possibly via automation or via the provision of tools to speed up the manual steps. Creating a system that provides the most efficient flow for the knowledge required would be the target of this research.

An important area for research is determining the scope of what is

achievable in time line reduction using automation versus human cognition (Egenhofer and Golledge, 1998; Nyerges et al., 1995). Are there limits to autonomy? At what parts of the knowledge cycle can complete automation produce best results (e.g., image processing, georectification, and mosaicing versus source discovery, temporal conflation, feature detection, and extraction)? What roles do humans play best in the knowledge discovery loop? NGA can benefit directly from research that delineates the limits of what tasks can be semi- or fully autonomous, and which will remain best served by trained interpreters. Automatic feature extraction algorithms continue to advance but remain somewhat unreliable. Although they can combine spectral and textural information, and recognize primitive shapes and their combinations, the automated segmentation and labeling of entire images remains an elusive goal. This leads to the following.

**RECOMMENDATION 4: Research should be directed toward the determination of what processes in the intelligence cycle (acquisition, identification, integration, analysis, dissemination, preservation) are most suitable for automated processing, which favor human cognition, and which need a combination of human-machine assistance in order to compress the GEOINT time line. This is equally important for current and future systems.**

Benefits could be gained in the near future by characterizing the processes of generating geospatial intelligence, possibly by observing codified as well as tacit organizational information flows and by surveying operational analysts. This would include examining the information flow dependencies between tasks and categorizing them into necessary and accidental dependencies. Once the steps of common processes are characterized with dependencies, NGA can gather data on a typical time duration needed to complete the overall cycle as well as individual subprocesses. Other potential short-term areas of focus include studying ways to automate the bottleneck steps in the processes of geospatial intelligence generation and use, and identifying ways to eliminate unnecessary waiting and dependencies to speed up the process by exploring alternatives to accomplish the same results. Ways to speed up the remaining manual tasks that cannot be automated because of the need for higher accuracies or for other reasons could be studied in the longer term, becoming the target of research designed to yield information about human behavior and cognition and of human-computer interaction studies. While this research evolves however, it would be useful to explore tools to aid analysts in completing the remaining manual steps by understanding the

cognitive processes that human analysts use. Such information would also be of value in training and evaluating analysts.

Effective interpretation, representation, and visualization of spatial information across all types of displays (virtual, web-based, mobile, three-dimensional, and two-dimensional) calls for innovative research. Recent trends indicate a strong inclination for transitioning into digital maps that can be delivered quickly to a variety of end user thick (desktops and larger) and thin (handheld and mobile) clients. These trends foreshadow a new paradigm of spatial data visualization. Simply moving away from static hard-copy maps to interactive digital media will not necessarily solve the issues of static information. A goal is to have “dynamic” maps rather than “digital” maps. Visualization of dynamic spatial-temporal information within a traditional cartographic framework will be an exciting area for future research that will address the new ways of depicting space-time changes in geospatial features or objects through animated symbology and cartographic designs. Moreover, end users of geospatial intelligence are expected to be using a variety of thin or thick clients that in turn will have variable connectivity, dictating the amount of information that can be efficiently delivered and visualized. Thus, middleware that performs optimized filtering of geospatial intelligence for content delivery based on the end user’s connectivity and visualization environment will be an important research area to be addressed.

High-priority research includes development of intelligent algorithms that become more proficient over time at browsing and sifting through image and data archives. Autonomous workflow management procedures would streamline retrieval of specific types of information by anticipating what an analyst might search for next, given what has just been requested. By learning from the results of previous analysis tasks, it would also be possible to suggest “best-practice” approaches to new tasks. Agent-based information retrieval can seek out additional sources that may be distributed in friendly or foreign archives. Accomplishing these tasks requires advances in intelligent image compression, multiple levels of security masking, and routines for efficient, on-the-fly semantic indexing.

Each of these stages must be advanced in the context of the significant computational resources that will be locally unavailable, but accessible through a network. Middleware that supports distributed data sharing and computation is an important area of future work (e.g., Armstrong et al., 2005). Other common themes among these research challenges include the development of procedures for handling, storing, and disseminating intelligence that is context sensitive. Another theme is development of self-describing resources that can be linked readily to other possibly disparate forms of data with similar content and include information on uncertainty and provenance. The equivalent of landscape intervisibility

analysis is established between databases, whereby semantic “lines of sight” are created and made explicit to analysts in order to exploit a very large number of relationships that exist among archived data objects. Indexing and catalog routines can reorganize information flexibly, reflecting various aspects of the underlying semantics, to generate catalogs whose surface organization varies with analyst task, but with a deep structure that remains stable. Analysts can track provenance and uncertainty through the life cycle of intelligence preparation. Analysis of space and time can become more seamlessly integrated. In short, the transition from a data-centric to a knowledge-centric working environment is built up to facilitate preparation and dissemination of GEOINT2.

The term salience is used in cartography to refer to the parts of a map display that are distinct, prominent, or obvious compared to the remaining parts. Salience is an important area in GEOINT map display research, specifically in how critical information can be communicated to an interpreter by visual prioritization. This is a known problem on small displays and mobile devices (Clarke, 2004; Peng and Tsou, 2003) and may also be true for web-based service delivery (Kraak and Brown, 2001). Maps designed for one type of display rarely suit another, as experience with the World Wide Web has shown. What devices best suit particular tasks? Where should devices fit on the thin-thick client scale? How can context awareness, multimodality, nontraditional interfaces, and augmented and virtual displays be used for GEOINT tasks? What are the special demands of uncharacterized spaces, indoors, in urban areas, beneath canopy, or underground? How do displays have to be changed from outdoors to indoors, from day to night, and from dark to light surroundings? What spatial differences exist in critical communications such as wireless Internet availability or cell-phone coverage? How does salience vary with users who may be stressed, distracted, or incapacitated? Geographical visualization is an important part also of the UCGIS research agenda (Buckley et al., 2004). Given the importance of these topics, the committee makes the following recommendation.

**RECOMMENDATION 5: Given the importance to NGA of visualization of GEOINT data, research should be supported that investigates new methods of data representation that facilitate flexible and user-centered salient visualization. This applies both to new methods (e.g., cartographic data exploration) and to new technologies (e.g., mobile devices).**

Visualization problems solvable now include map design and context sensitivity for maps delivered via the Internet on standard display devices.

Longer-term problems include those focused on innovative visualization tools such as immersive virtual reality, augmented reality, and mobile and wearable devices. Lastly, longer-term solutions must integrate human cognition research and context sensitivity to create salient, adaptive displays that sort information and display it according to analysts' needs and the context in which they are working, whether in the laboratory, in the field, in the air, or on board ship.

Given the amount of data and the complexity of the analytical tasks faced by NGA, including visualization, it would be advantageous for NGA to position itself more centrally in the field of high-performance computing and so-called grid computing. As yet, the academic GIScience community has been slow to steer the emerging body of research focused on what is now often called the "cyberinfrastructure" or grid computing toward the needs of geospatial data processing in general and GEOINT in particular. In 2005, the National Science Foundation (NSF) took a bold step in promoting these approaches by establishing an Office of Cyberinfrastructure. Nevertheless, thus far NSF has not made GEOINT a component of the effort. A key step for NGA would be the creation of a new class of middleware that is designed specifically to address the needs of GEOINT. Consequently, the committee recommends the following.

**RECOMMENDATION 6: NGA should ensure that the special needs of geospatial data are met by high-performance grid computing so that it can be utilized to address the large amount of data and the complexity of analytical tasks (such as visualization) involved in producing GEOINT.**

With the pursuit of solutions to these problems comes a demand for higher computing performance. While other agencies are pursuing and supporting the era of grid computing under initiatives of "cyberinfrastructure" and with parallel and high-performance computing, the overarching promise of the "virtual organization" has high value to NGA in its GEOINT goals. Ultimately, few advances will be possible via computational methods unless the grid is exploited. This still-emerging field of mostly computer science research has much to offer, yet geospatial grid applications remain mere tangents of this research field. Integral components of grid computing from NGA's perspective are high-speed networks, distributed processing, and a computational services model. These are essential ingredients of next-generation networking and computational mobility. The growing field of geocomputation (Atkinson and Martin, 2000; Longley et al., 1999) is broader than the grid but has led to some research on which future work can be based. Thus, immediate ben-

efits can be gained by helping further geocomputational research now emerging internationally (Gahegan et al., 2001). In the long term, partnering with other agencies, particularly NSF, will help advance the broader national agenda around cyberinfrastructure and the grid.

### **Promising Methods and Techniques**

#### *Pattern Discovery in Spatiotemporal Data*

Consider the step of identifying interesting subsets of raw sensor data as a bottleneck in the GEOINT production cycle. This step can be automated by characterizing the notion of the *interestingness* of raw sensor data items. If a mathematical formula characterizes “interestingness,” automation of the identification of interesting subsets should be possible by manipulating raw sensor data and developing computer software to automate this step. If this so-called interestingness cannot be characterized by a computable mathematical formula, a computation model using a set of positive and negative examples provided by analysts using data mining, machine learning, and/or statistical techniques could be substituted. This learned computational model might be evaluated using appropriate testing examples. If the learned computational model is accurate, it could be used to automate this step (Fayyad et al., 1996). Similarly the step of producing summary patterns could be automated using a variety of data mining, machine learning, and statistical techniques.

Many classical techniques in data mining, machine learning, and statistics assume the independence of learning samples. This assumption may be false for geospatial and spatiotemporal data due to the presence of spatial autocorrelation (i.e., the tendency of nearby locations to have similar properties). A specific research strategy is to develop novel spatial and spatiotemporal data mining techniques by exploring new methods that not only model autocorrelation but also address other unique spatiotemporal issues (Shekhar et al., 2004), including the presence of complex data types (e.g., time series, tracks, regions, curves, shapes) and implicit relationships (e.g., distance, direction, visibility.) A recent review by a group at the University of Zurich sets forward and demonstrates some methods for point objects (Laub et al., 2005). Note that this objective is supported by Recommendation 2.

#### *Cognitive Modeling of Human Analysis Tasks*

Cognitive modeling is a promising method that can be explored not only to identify the cognitive subtasks performed by analysts in manual tasks, but also to categorize those subtasks into information-bounded and

cognitive resource-bounded subtasks. Human analysts' performance (e.g., time to complete a subtask) on information-bounded subtasks can be improved by providing additional information via novel tools to search for and present relevant information. Performance on cognitive resource-bounded tasks may be improved by reducing the cognitive load—for example, by eliminating extraneous tasks or unnecessary details—and by providing assistive tools to automate routine cognitive subtasks. Development of these tools will require usability testing and analysis, qualitative methods, and human subjects testing (e.g., Hix et al., 1999).

### *Cognitive Load-Aware Spatiotemporal Data Presentation and Interaction*

Task-appropriate data exploration and presentation tools may help reduce unnecessary detail while presenting task-relevant information to improve analyst performance. Traditional two-dimensional cartographic display modes are probably inadequate for this task and will have to be revised or redesigned. Wearable computing devices exist now; yet requirements are not yet met for context-sensitive, graphical, lexical, and verbal data presentation modes (“multivalent documents”) (Phelps and Wilensky, 1998). Advances in human-computer interaction research should facilitate information dissemination and delivery in hostile environments. Results of high-priority research can be applied and validated in battlefield planning scenarios. Current presentation modes include text, tables, animated cartographic symbols, three-dimensional perspective, virtual imaging, spatial audio and speech, and haptics. Interaction models to specify user requests include implicit predictive interaction (e.g., based on observation of the user's activities) or explicit requests using textual commands (e.g., Unix), graphical user interfaces, or haptic interfaces. User evaluation can be employed to compare the cognitive load imposed by alternative information representations and interaction models. This information can be used to select, design, and implement cognitive load-aware tools so that spatiotemporal data presentation can be automated and human performance improved.

### *High-Performance Geospatial Computing*

It is well known that parallel and distributed computing can be an effective solution to computationally expensive spatial data integration, analysis, and presentation problems (Clarke, 2003). Plausible solutions include development of high-performance geospatial intelligence systems (HPGIS) by segmenting geospatial computational and input-output (I/O) tasks across processors in a multiprocessor machine, or across a cluster to alleviate the bottleneck associated with computational processes without

incurring significant overheads of communication and synchronization (Armstrong et al., 2005; Wang and Armstrong, 2003). HPGIS can take advantage of emerging cyberinfrastructure technologies such as grids of parallel computers to support integration and coordination of data and models in multisimulation environments (Atkins et al., 2003). Effective use of these computing environments will require the design and development of novel middleware that will coordinate the distribution of spatial data and tasks.

A unique challenge (Shekhar et al., 1996, 1998) in parallelizing geospatial intelligence tasks arises as a consequence of heterogeneity in spatial data. First, the computational loads imposed by data elements (e.g., polygons) vary a great deal based on the shape and location of the data item and the query of interest. Thus, naïve static data partitioning techniques (e.g., round-robin, random, geographic partitioning) may be ineffective. In addition, it is often more expensive to transmit geospatial data (e.g., a polygon with thousands of edges) than to process it locally using filter and refining techniques. This violates the basic assumption behind dynamic load balancing and data partitioning techniques. Other balancing problems arise because analysis methods require different amounts of computation in areas that have a variable density of observations (Cramer and Armstrong, 1999). Geospatial intelligence computations may pose similar unique challenges for scheduling algorithms and other components of grids (Wang and Armstrong, 2005). Thus, further basic and applied research is needed in evaluating traditional data partitioning techniques and developing novel ones for computational tasks that are essential components of the geospatial intelligence cycle.

In summary, hard problems in compressing the time line of GEOINT generation include reengineering the GEOINT generation cycle and automating it where possible, the visualization of data, and speeding up the computer processing of GEOINT data. Promising solutions include techniques for pattern discovery; cognitive modeling of human analysis tasks; developing cognitive load-aware spatiotemporal data presentation and interaction methods; and exploiting high-performance geospatial computing.

## EXPLOIT ALL FORMS OF INTELLIGENCE

### Hard Problems

In the post-9/11 world, NGA needs to exploit all forms of intelligence to thwart denial and deception, track moving targets, and target precisely.

In GEOINT, this meant fusion across imagery, maps, and sensor data. In GEOINT2, it is evolving to mean fusion across all forms of intelligence.

First, fusion across image sources alone is still a hard problem. For example, individual remote sensing devices are limited in thwarting denial and deception by use of subsurface facilities, such as bunkers and caves. They are also limited in their ability to track moving objects under cover (e.g., on the forest floor under a tree canopy). To address the limitations of traditional sensors, NGA needs not only to evaluate emerging sensor technologies but also to explore techniques to fuse information from multiple sensors. Geospatial intelligence derived from information fusion across sensors is often richer than the sum of the information available from individual sensors. For example, tracking moving targets may be facilitated by fusion of information from a collection of sensors that observe the moving target across time. Fusion of information from multiple sensors may also improve the reliability of geospatial intelligence about a target in the face of denial and deception. Fusion must integrate across space, time, the electromagnetic spectrum, and scale. Data fusion can also be thought of in terms of three different areas: data-level fusion (i.e., the pixel level), feature-level fusion, and decision-level fusion (IEEE, 1999). There is much to be gained, for example, by merging the target-specific high-resolution imagery associated with a single feature (e.g., a mountain pass) with coarser temporal and spatial resolution data on land-use change, weather, vegetation, and so forth.

Current understanding of multisensor intelligence integration is far from complete, and future research should develop innovative algorithms for contextual models that appropriately integrate and analyze information from different sensors. Consequently, as discussed above with respect to Recommendation 1, traditional single-sensor techniques for object recognition, feature extraction, feature tracking, and change detection will require reevaluation and redesign for multisensor environments.

The importance of fusion to GEOINT research cannot be understated, but again, research on fusion is in its relative infancy. While many other recommendations in this report will enhance fusion (e.g., by increasing horizontal integration and interoperability of architectures), NGA has a vested interest in drawing scholarship toward this demanding field of research. Given the importance of fusion and the increasing suite of inputs that require it, a shortage of expertise is likely in both the short and the long terms. The committee therefore recommends the following.

**RECOMMENDATION 7: NGA should attract scholarship and research toward the problems that it faces in terms of information fusion, across sources, scales, spatial sampling schemes, systems,**

**formats, and architectures, in order to avoid a shortage of expertise in this area in the future.**

Traditionally, NGA has relied on fusing measurements from homogeneous and synchronized collections of sensors. For example, determination of position is often by triangulation algorithms based on the readings of synchronized signals from three or more geopositioning satellites and differential GPS sources. Change detection over a geographic area of interest is based on comparison of time-stamped and georeferenced measurements, such as remotely sensed images from a common sensor. Motion of an object can also be detected by observing the position of the moving object at different time points from different synchronized sensors. However, current information fusion techniques are limited in their ability to integrate information from collections of sensors, which may be heterogeneous, possibly asynchronous, and not identically georeferenced due to motion, limited fields of view, or constraints on power and/or the GPS signal.

In the near term, information fusion techniques will merge measurements from heterogeneous collections of sensors that are synchronized in time and space. Challenges include development of cross-sensor signatures of targets to improve the reliability of target detection. Longer-term information fusion techniques could integrate information from heterogeneous collections of sensors that are not perfectly synchronized in space and time. Challenges include modeling of motion by dead reckoning as well as clock drifts over time, methods to synchronize spatiotemporal frameworks of different sensors, and techniques to represent and compute with spatiotemporal objects having imprecise, uncertain, or unknown positions.

Fusion of data and information from multiple intelligence sources is an even more formidable task. Specific intelligences usually have stand-alone systems of technology for data acquisition, interpretation, and analysis that often work against fusion. System architectures are often incompatible. Data that should be interoperable are not. There are few base structures, ontologies, descriptive schema, or common languages to support source integration. Issues of architecture as a solution to integration are seen as technological and not strictly “hard problems” in the research sense, and so are dealt with in Chapter 5. Nevertheless, semantic interoperability is critical. There is relatively poor integration of geographical text as an information source in addition to absolute location. Interoperability often depends on cross-walking between languages (e.g., English-Russian), on toponymic services, and on semantic correspondence between feature descriptions (e.g., creek, river, stream, brook, arroyo,

wash, wadi). Similarly, different representations or repetitions of text (vector, raster, map tile, feature) are often coexistent. Yet these are often the sole link between mapped data and other text-based intelligence, such as reports, news feeds, and the Internet.

Important research problems in the area of archiving include advancing algorithms for geocoding and georeferencing directly from locative text and anecdotal information. Data pedigree and source should be checked on acquisition to back-trace intelligence preparation and the chronology of procedures (known as the “flow of provenance”) that have been applied. NGA has apparently established and is implementing a goal for intelligence provenance and discovery as an element of the National System for Geospatial Intelligence (NSG). This is an important step for NGA’s future systems. To achieve NSG, both semantic and syntactical aspects of the framework must be interoperable with the data infrastructure used by other agencies.

The value of past GEOINT as a potential solution to a current or future problem is often unseen or ignored. With data being acquired so quickly and at high volumes, the tendency is to ignore or postpone the creation of metadata or the indexing of source material. Yet the nature of spatial change virtually requires a “before” and “after” view of the scene. Automated preservation and indexing are the only option for NGA. This requires schema and metadata that bridge all of the intelligence sources used and preservation suitable for recovery of ad hoc and unseen intelligence. An analyst should be able to make a query such as, “Over the last year, what trucks passed within 50 m of this building on Tuesdays between 2 p.m. and 3 p.m.?” This might mean bringing back from archives imagery, bus timetables, parking data, security video, and so forth, and then automatically processing it for vehicle information. There is a tendency to think of preservation as pertinent to imagery alone; however, the need is universal and the role of toponymy is critical. Accordingly, the committee makes the following two recommendations.

**RECOMMENDATION 8: Research needs to be conducted to improve the role that text and place name search plays in integrating GEOINT since this is often the only link between mapped data and other text-based intelligence. Place names apply across scales and dimensions (point, line, area), language, and time. Systems that easily translate terms among applications areas (e.g., weather, navigation, operations, intelligence) are in need of research solutions, both theoretical and applied.**

**RECOMMENDATION 9: Research to promote the reuse and preservation of data should be made a priority so that critical before and after scenarios can be developed. Specific research areas should include metadata, data pedigree, provenance and lineage, and information about accuracy and uncertainty, as well as the storage of these elements along with data, the facilitation of their use in analysis software tools, and their coordination and exchange across other intelligence agencies.**

Cartographic text and place name support have long been an NGA GEOINT activity. Data resources such as the NGA GEONet names server, a database of 4 million features and 5.5 million names, with 20,000 updates daily, are available via ftp and http queries. One short-term area of focus is pursuing new methods for the creation, management, update, verification, and accuracy assessment of existing toponymy services, including the existing databases and as many others as is practicable. A longer-term concern is the development of data mining and exploration tools that allow innovative approaches to knowledge discovery in geographic names. For example, intelligence reports can be “mined” for place names, and the associated places displayed in the context of the searches. Sequences of places involved in military operations could be linked and shown as flow maps or animations, and paths matched against previous similar pathways. Similarly, with the Internet now forming the primary delivery mechanism for geographic names, problems of text placement, selection, labeling, and positioning will require attention. Partial solutions are often embedded in today’s web mapping and GIS software. These will have to be reassessed in light of the special needs of NGA, such as secure environments and horizontal integration.

Data reuse and preservation are pressing problems for NGA. An immediate issue is detecting data that has been collected and archived but not yet cataloged. Cataloging strategies that do not scale up from historical library preservation methods into the volumes of information collected for modern electronic data archives is the basic challenge that drove digital library research initiatives in the 1990s and persists today in organizing and cataloging the bodies of knowledge accessible on the World Wide Web. Also in the short term, there is an immediate need for autonomous metadata creation and comparison, to determine quickly if two different data streams contain essentially the same or different content. This could involve research to determine new metadata types that summarize salient geospatial data characteristics, analogous to keywords that summarize salient characteristics in full-text databases. Research is needed to develop efficient encrypting of provenance and lineage directly within datasets,

for example, using data watermarks or stenographic encryption—to ensure that metadata are transported along with data. Data and image watermarks are currently being developed, along with data encryption standards. The hard problem here is to establish criteria for determining salience, which can vary with task, target user community, and data type.

In the longer term, methods to establish permanent object identifiers (OIDs) and embed them in objects that are tracked across multiple sensor streams are necessary so that objects retain a permanent identity and can announce their arrival and departure from a spatiotemporal tracking process. A rudimentary example of this occurs in Windows computing environments where a particular process will generate a popup window telling the user for example that the advertisement in the sponsored window is being blocked from view. Similarly, dynamic objects should incorporate message-passing behavior to alert to their disappearance from a given sensor stream, and permanent OIDs can be compared to recognize emergence within another sensor stream when another sensor has picked up the object in its field of view. Numerous hard problems underlie establishing such a capability—for example, establishing an object whose delineation changes over time, that is indeterminate, or that is susceptible to denial and deception. Another hard problem relates to fusing signals across multiple sensors, discussed earlier in this report.

Due to the renewed interest in sensor technology by federal agencies and industry, novel sensors and sensor networks are being developed for a variety of applications. Some of the emerging sensors provide the ability to measure the properties of covered surface and underground facilities. An applied research project could evaluate a selected subset of emerging sensors for their ability to track moving objects in the presence of denial and deception possibly for precision targeting. This subset should be thought of as a suite, not a set of isolated sensors to be used individually. For example, one sensor may favor outdoor conditions in daylight; another, night; a third, objects occluded by buildings; and a fourth, objects under camouflage. The goal of this adaptive sensing strategy is a system that tracks an object seamlessly, integrating its signal across multiple sensor streams as the background conditions change in real time with object motion (Stefanidis and Nittel, 2005).

**RECOMMENDATION 10: Emerging and existing sensor technologies should be reassessed in light of their abilities to detect moving objects even in the presence of denial and deception or for precision targeting. Research should focus on how data can be integrated for this task (1) across sensors, (2) across scales and resolutions, (3) across the spectrum, and (4) in time. Solutions by adaptive arrays of sensors rather than single sensors should be stressed.**

The need to track moving objects should be seen as generic, not particular. From a machine vision perspective, object tracking is now relatively mature. Yet the data structures, pattern analysis, and data mining tools are somewhat lacking. In the short term, it would be beneficial to cross disciplinary bounds to seek out approaches to object tracking and to examine which approaches offer the most long-term benefits. For example, there is a considerable literature in transportation studies under the various intelligent vehicle programs. In the intermediate term, the most promising methods could be tested and improved to meet NGA's needs. In the long term, new methods can be brought into the GEOINT cycle at several points. Of long-term interest are tracking multiple moving objects, automating detection and recognition of key movement patterns, and in doing so under uncertainty. For example, inputs from traffic cameras can be used as sensors to detect unusual vehicle activity that might indicate suicide bombing, search out simultaneous attackers in a multivehicle attack, and rapidly use maps to alert possible target buildings that a suspect vehicle is approaching.

### **Promising Methods and Techniques**

#### *Evidential Reasoning over Homogeneous Spatiotemporal Frameworks*

If all sensors use a common spatiotemporal framework, possibly using the GPS and common triangulation algorithms, traditional evidential reasoning techniques, such as Bayes' rule, possibility theory, or Dempster-Shafer theory, can be used for data fusion (Pagac et al., 1998). For illustration, consider a collection of visual, acoustic, and seismic sensors monitoring a common area for single-sensor signatures of a target object, such as an armored vehicle. Readings from each sensor could be analyzed independently for the sensor-specific signature of the target object and produce probabilities of observing the target object of interest given the sensor measurements. Results from individual sensors can then be combined using evidential reasoning techniques to fuse the information across sensors (Klein, 2004).

#### *Geospatial Framework Synchronization*

Traditional evidential reasoning techniques may not be effective if sensors are not synchronized in space and time, possibly due to natural or deliberate jamming of GPS signals, limitation of power to constantly monitor GPS signals, natural drifts of clocks, and other physical reasons. For example, consider the detection of the signature of an object moving from east to west by two sensors. If the sensors are not synchronized in space

and time, fusion of cross-sensor information could incorrectly infer that the object is moving from west to east instead of the reverse. Event ordering in time based on message interchanges between nodes in a sensor network is a promising approach to synchronize temporal frameworks across sensors. Similar approaches may have to be developed for synchronizing spatial frameworks, possibly by enabling each sensor to estimate relative positions of nearby sensors via techniques such as independent surveys, direct observation of positions of nearby sensor nodes, and estimation of the geospatial position of neighbors using information available in the network communication messages. An alternative approach is to develop a new generation of geopositioning sensors and clocks that are so accurate and synchronous that the residual errors do not impact geospatial intelligence results as they do with GPS.

### *Robust Frameworks for Geospatial Computations and Reasoning*

Despite advances in technology for measurement of time and geospatial position, inaccuracies and errors have not been eliminated. Residual errors in measurements of position and time can lead to erroneous conclusions by traditional geospatial algorithms and data models that do not account for errors in position estimates or resolutions of sensor measurements. Recent research has explored robust spatiotemporal frameworks (Guting, 1994), modeling both the error and the resolution. In addition, this research has provided methods to estimate errors in the result of simple geometric algorithms, such as those for determining the point of interaction between two lines from the errors in positions of the end points of the intersecting lines. Geospatial error propagation models have the promise of characterizing geospatial errors to provide the analyst with more informative geospatial intelligence. Similar algorithms need to be developed to estimate the position (or track) of a moving object, given measurements from multiple sensors with their imprecise geospatial locations. Additional challenges include modeling of geospatial uncertainty, imprecision, and scale within S-DBMS and ST-DBMS.

### *Semantic Interoperability*

Problems of interoperability for geospatial data have often been seen as problems of integrating semantics for disparate ontologies. Research in databases and computer science has produced a significant amount of information on semantic interoperability, including semantic webs. Creation of semantic webs is also seen as essential to bringing the vision of grid computing into reality, especially the highly distributed components. De Roure et al. (2001) see promising methods as including semantic

grid toolkits such as Globus (Foster and Kesselman, 1997); agent-based approaches; creation of new network philosophies for lightweight communications protocols; methods for dealing with trust and provenance; and methods for dealing with metadata and annotation. Most important are the knowledge technologies, which include knowledge capture tools, dynamic content linkage, annotation-based search, annotation reuse repositories, and natural language processing.

### *Toponymic Services*

There is relatively little research on the relationship between toponymy and advanced search tools. Areas of promise include geographic information retrieval methods and geoparsing, a cross between natural language understanding and gazetteer lookup. Tools are needed to support the modeling of information about named geographic places and access to distributed, independent gazetteer resources. This has involved semantic webs, resource description frameworks (RDFs), ontologies and mark-up languages such as extensible markup language (XML) and geography markup language (GML). Related to this is research into the type classification of named places (e.g., features types, populated places) and the correspondence between different approaches to such classifications. A component of place name research deals with the history and etymology of place names and their cultural context. While the methods used in this area are simple, the research is nevertheless important and can be enhanced with advances in information technology.

### *Reuse and Preservation of Data*

Promising methods for the reuse and preservation of data have emerged from research in geospatial databases and from the various Digital Libraries initiatives by NSF and the National Aeronautics and Space Administration. There have been considerable advances in the creation of effective metadata standards and in the creation of tools for authoring metadata. Next-generation systems will leverage the Federal Geographic Data Committee (FGDC)-style metadata to support advanced reuse. Many of the promising methods and techniques reflect those of semantic interoperability, large-scale database management, and toponymic services. Spatial OnLine Analytical Processing (SOLAP), a type of software technology that enables rapid information retrieval from multidimensional data and has been extended to geospatial data and GIS, has some potential to integrate metadata about data quality into the information processing flow (Devilliers et al., 2005).

### *Database and Sensor Technologies for Moving Objects*

Sensor technologies for moving objects include technical measurement solutions for positioning, with GPS and similar technologies, in both indoor and constrained environments. They also include video-capture and machine vision methods, mature research fields. Less mature is the database management research aimed at creating computer systems for managing and exploiting moving object data. Recommendation 2 covers theory and visualization for moving objects. Guting (2005) has recently presented some promising methods and techniques for moving objects databases, including extended query languages and data models (e.g., Transect-Structured Query Language), spatiobitemporal objects, event-based and transactions processing approaches (Worboys and Duckham, 2005; Worboys and Hornsby, 2004), trajectory uncertainty analysis, spatiotemporal predicates, indexing methods (e.g., time-parameterized R-tree, kinetic B-tree, kinetic external range trees), and special cases, such as analysis of movement on networks.

In summary, hard problems related to the exploitation of all forms of intelligence include information fusion across diverse sources, the role of text and place name search in data integration, preserving data in a way that they can be easily reused, and techniques for using multiple sources to detect moving objects. Promising methods include evidential reasoning methods over homogeneous spatiotemporal frameworks, geospatial framework synchronization, robust frameworks for geospatial computations and reasoning, semantic interoperability, toponymic services, methods for reuse and preservation of data, and database and sensor technologies to support moving objects.

## **SHARE WITH COALITION FORCES: INTEROPERABILITY**

### **Hard Problems**

Interoperability will be a key challenge for NGA in the coming years as it pursues its goal of sharing geospatial intelligence not only with other U.S. organizations but also with coalition forces and foreign partners. For example, consider an exchange of navigation maps among coalition forces. A source may focus on terrain maps, where each route segment is navigable by a land vehicle (e.g., a tank), possibly because it primarily serves Army missions. Maps from another source may include land- as well as water-based route segments for amphibious vehicles, possibly because they serve U.S. Marines. If the maps from two sources are merged without accounting for differences in semantic meanings, it can

lead to land vehicles losing egress routes during battles or falling into deep water bodies. In addition, precise tracking of a moving target becomes difficult if geopositions recorded by two different sources use disparate coordinate systems, data file formats, and map symbols. In general, combining the maps from these two sources will require careful consideration of differences at the semantic (e.g., meaning of route segments), structural (e.g., coordinate system, other metadata), and syntactic (e.g., data format) levels.

Some critical problems faced in spatiotemporal interoperability are the role of real-time sensor inputs, the problems of dealing with incomplete and sparse data, disparate ontologies, uncertainty management, content-based filtering, moving targets, and changing profiles in time and space (e.g., growth, aging, decay). These all have implications for data conflation, for analysis, and for data mining and are components of Recommendation 2.

Issues of syntactic interoperability are already being addressed through techniques such as spatial data standards, especially those of the Open Geospatial Consortium. Similarly, structural interoperability can also be addressed by practical means. Therefore, these were not considered hard research problems. However, because of their importance, they are still included in the following discussion.

Nevertheless, semantic interoperability is considered a hard problem. There can be little progress in pursuing interoperability without a thorough examination of the abstract set of objects or features of interest to GEOINT, so that they can be formally defined and converted into abstract objects that become transferable because they are complete in their descriptions. While GIScience research has begun this task, there is little motive outside of NGA to target an ontology toward NGA's needs. Nevertheless, a generic ontology would have great value to other agencies, software developers, and researchers. As a result, the committee makes the following recommendation.

**RECOMMENDATION 11: Research that creates a complete descriptive schema for geospatial objects of importance to GEOINT as formalized in a GEOINT ontology should be pursued to ensure effective data interoperability and fusion of multisource intelligence. This ontology should have a set of object descriptions, should contain precise definitions, and should translate into a unified modeling language (UML) or other diagram suitable for adaptation into spatial data models.**

A short-term issue is addressing the syntactic interoperability of

geospatial data, such as those related to data file formats. One option is to carefully diagram and examine a complete catalog of differences between two varying spatiotemporal conceptual models, sufficient that a translation procedure between them can be either automated or exhaustively described procedurally. A good pair of models to choose would be two that cause known interoperability problems at NGA.

The structural interoperability challenges are longer-term issues. Example challenges include interoperability across geospatial intelligence sources with differences in conceptual schemas (e.g., an entity relationship diagram or UML diagram) and metadata such as coordinate systems, resolution, and accuracy. Long-term challenges include semantic interoperability toward addressing the challenges related to differences in meanings (e.g., definition) of geospatial intelligence across sources. This is an extremely difficult and long-standing problem. Thus, it will be important to support high-risk research to explore promising approaches (e.g., semantic web, ontology translation) that address important sub-problems.

## Promising Methods and Techniques

### *Geospatial Intelligence Standards*

Initial efforts are addressing syntactic interoperability by developing common standards. The Open Geospatial Consortium (OGC) has provided a sound foundation for work in distributed geoprocessing, real-time processing, sensor-web challenges, geospatial semantic webs, and brokering multiple distributed ontologies. The first step is to determine whether intelligence needs dictate new standards, require extended existing standards, or fit within existing standards. Applied research can evaluate current geospatial data interchange standards, especially OGC, for exchanging geospatial intelligence across U.S. organizations as well as coalition organizations. If current standards do not cover crucial types of geospatial intelligence, it would be of benefit to NGA to encourage the extension of current standards or the development of new standards for exchanging geospatial intelligence data and services from a variety of sources such as sensors, human interpretation, modeling, and simulation. Effective standards are based on a consensus among major stakeholders including the producers and consumers of geospatial intelligence within the United States and its partner countries. Thus, basic and applied researchers need to address how their results can be incorporated into geospatial and/or computational interoperability standards through the evolution of those standards.

### *Spatial and Spatiotemporal DBMS Interoperability*

Structural differences (e.g., conceptual data models, reference coordinate systems, resolution, accuracy) could be addressed by a combination of automatic and manual methods. For example, geospatial intelligence analysts and their database designers could review the differences between the geospatial conceptual models (e.g., entity relationship diagrams with pictograms) of a pair of sources to develop translation schemes. This would require a careful analysis of issues such as synonyms and homonyms. In addition, it requires establishing correspondences between the building blocks of two conceptual data models. Once the translation scheme is developed and validated, future interchange of geospatial intelligence between the selected source pair can be automated by implementing the translation scheme in software. However, manual effort for this approach grows superlinearly with an increase in the number of sources, and an alternative approach based on global conceptual schema becomes more attractive. Of course, the time and effort of developing a global schema and translation procedures can be reduced by the provision of appropriate tools.

### *Geospatial Intelligence Ontology*

Semantic differences across sources are difficult to resolve largely because of differing ontologies. Availability of a geospatial intelligence ontology (e.g., a concept dictionary, thesaurus, concept taxonomies) is likely to help manual tasks of developing global schemas and translation procedures. It may also help formalize the geospatial intelligence and make it amenable to large audiences to facilitate training of new analysts. Several ontologies have been explored in the GIScience literature and can be researched to provide a framework for further work (e.g., Agarwal, 2005). Prior standards efforts such as the federal spatial data transfer standard (SDTS) include feature lists and definitions, and geometric objects both with and without topology that could be building blocks for future work. Future work will build on the ongoing body of research on the semantic web (Berners-Lee et al., 2001). The GML standard and work by the Open Geospatial Consortium already form a significant element in NGA's research programs. OGC in particular has been closely integrated with NGA's research, and it would be beneficial to continue this in the future. Research into geospatial intelligence ontologies will build on the more generic work described above, but will build tools specific to the needs of geospatial intelligence analysts.

In summary, the hard problem associated with sharing data is semantic interoperability. Promising methods and techniques for increasing interoperability include further research and development of geospatial intelligence standards, translation schema for spatiotemporal conceptual models, and geospatial intelligence ontologies.

### **SUPPORTING HOMELAND SECURITY**

The creation of the Department of Homeland Security (DHS) as a response to the nation's increased vulnerability to terrorist attack has led to another significant demand for GEOINT from NGA. To quote a recent planning document (MITRE, 2004): "In the war against terrorism, our front-line troops are not all soldiers, sailors, fliers, and marines. They are also police, firefighters, medical first responders, and other civilian personnel. These are groups whose historical access to sources of national intelligence has been near zero; yet their need for real-time and analytical intelligence is now critical." Extension of NGA's responsibilities to work far more closely with civilian agencies, including but not limited to DHS, has broadened NGA's mission. For the most part, DHS's needs place NGA in the category of an information supplier. With current trends, NGA will be more suited to serving as a knowledge supplier. In this case, few options are available for collaboration in research. There remains an opportunity for the intelligence world to collaborate with academics and others in the conduct of research. The few DHS-funded centers in universities are starting points, but there are already a large number of vehicles in place to encourage collaboration and the sharing of experience, expertise, and resources. It is in the interest of NGA to explore relationships among the existing research encouragement mechanisms, reviewed in the next chapter, and DHS. The committee believes that working with DHS involves many of the same issues as sharing GEOINT with coalition forces, similar to ensuring horizontal integration. Therefore, homeland security issues are supported by many of the recommendations in this report. However, while many of the report's recommendations are applicable to homeland security, the distinction between domestic and foreign intelligence is of great importance. The need for and use of such information within the United States will also be substantially different from that outside the United States. With a new institutional infrastructure for intelligence in the United States, NGA is well placed to clarify and support the role of GEOINT in the new integration-based intelligence environment.

## PROMOTING HORIZONTAL INTEGRATION

### Hard Problems

Horizontal integration refers to “the desired end-state where intelligence of all kinds flows rapidly and seamlessly to the warfighter, and enables information dominance warfare” (MITRE, 2004). The expanded role of NGA and the new clients for NGA services brought by international collaboration and work with civilian communities and agencies places strains on the mechanisms in place for protecting the security of assets and technologies available to NGA but not available elsewhere. As GEOINT2 evolves and creates new ways to assimilate geospatial intelligence for a particular problem, new vehicles will be necessary “so that the full value of the information can be realized by delivering it to the broadest set of users consistent with its prudent protection” (MITRE, 2004). Yet this multilevel demand for information brings with it risks. In the past, a culture has existed of separable roles of content producer and protector. A bias toward knowledge withholding as the default case has led to an extraordinary amount of geospatial data being withheld from the potential user community. In at least one case, there is evidence that such overprotection of geospatial data is unnecessary or even damaging (Baker et al., 2004).

New protocols must be established to promote safe data exchange in light of legitimate changing demands for geospatial intelligence products. Existing solutions include using and sharing similar data, such as commercially available high-resolution imagery, without security classification. Research can contribute reliable security protocols in several ways. Discussions by the committee focused on the reported issues of dealing with two problems. First, how can GEOINT products be modified so that their content at any given level of clearance is visible only to those at that level? For example, could an image be made such that its display resolution varied depending on the interpreter? Could a GIS dataset be made that hides detail or entire features on the same basis? Such data could be distributed universally in a single form, but would be used differentially under the control of keys associated with different security levels. Such key-based methods are the domain of research in cryptography and steganography, where GEOINT has received less attention than elsewhere. Secondly, what alternate data sources in the public or commercial domain can be shared, so that information can flow while sources are protected? Anecdotally, commercial high-resolution remote sensing seems to be filling this need in many contexts. Nevertheless, research could contribute to both of these options.

**RECOMMENDATION 12:** Research should be directed toward the particular needs of geospatial data for protection with multilevel security to promote safe data exchange, including innovative coding schemes, steganography, cryptography, and lineage tracking. Similarly, the processing of data so that it resembles public domain (e.g., digital orthophotoquadrangle) or commercially produced structures and formats should be pursued.

In the short term, issues of image and map degradation are pertinent. For example, what other than a median filter can be used to gracefully degrade the contents of a high-resolution image so that it can be shared? There are also tasks relating to metadata that can be done immediately: for example allowing a web-based query to indicate that spatial data covering a particular area of interest exist, but not allowing access other than providing relevant contact information. In addition, within computer networks, various firewall protection systems and sub-local area networks (LANs) can limit access by Internet domain with ease and can alert NGA to users seeking access inappropriately.

Also in the short term, new steganographic methods to support multilevel security could be researched, and protocols developed for location-specific identification and spatially constrained security. For example, a user undeniably situated at a particular location (e.g., from GPS codes) could be granted access for data covering that location. Alternatively, users from or in particular locations could be denied access, perhaps even temporarily. In the longer term, increased research in spatial data licensing (NRC, 2005), geospatial digital rights management, location privacy rights, and geospatial denial and deception methods would be beneficial.

### **Promising Methods and Techniques**

The field of image processing has developed numerous ways for encoding and selectively processing imagery. However, little work has extended methods into multispectral and hyperspectral sources, or other spatial data such as digital elevation models. Similarly, little work has been done with place name or vector data (Armstrong et al., 1999). An emerging body of research in location-based services is examining some of the technical issues (Schiller and Voisard, 2005), but policy issues such as location privacy need further study. Location authentication research has focused on technology of the GPS, yet next-generation systems will use both new systems such as Galileo and new positioning approaches (Rizos and Drane, 2004). Methods are already available to support multiresolution imagery and to some extent maps, such as quadtrees,

recursive and adaptive meshes, and resolution-dependent georeferencing (Shekhar and Chawla, 2003).

In summary, the hard problem associated with horizontal integration is the issue of multilevel security. Promising methods and techniques in-

TABLE 4.1 Summary of Hard Problems

NGA Challenge	Hard Problems	Recommendation
(1) Achieving persistent TPED	Assimilation of new, numerous, and disparate sensor networks within the TPED process	1
	Spatiotemporal data mining and knowledge discovery from heterogeneous sensor data streams	2
	Spatiotemporal database management systems	3
(7) Compress time line	Process automation versus human cognition	4
	Visualization	5
	High-performance grid computing for geospatial data	6
(2-6) Exploit all forms of imagery (and intelligence)	Image data fusion across space, time, spectrum, and scale	7
	Role of text and place name search in data integration	8
	Reuse and preservation of data	9
	Detection of moving objects from multiple heterogeneous intelligence sources	10
(8) Sharing with coalition forces, partners, and communities at large	GEOINT ontology	11
(9) Supporting homeland security	Covered by other areas	
(10) Promoting horizontal integration	Multilevel security	12

clude current research in location-based services, location authentication, and methods for selectively processing multiresolution imagery.

### SUMMARY

This chapter has presented recommendations on the “hard problems” in geospatial science that NGA should address in order to meet its evolving mission toward GEOINT2. It has also examined promising methods, approaches, and technologies for the solutions to the hard problems. The hard research problems and associated methods are summarized in Table 4.1. Many of the technical problems are ontological issues (i.e., the solution of architecture and interoperability problems lies in the creation of a comprehensive ontology for the collection, handling, and archiving of geospatial information). The chapter also shows that the nature of input networks, and the volume and type of data coming from these networks, are likely to change markedly in the future. By exploiting foreknowledge of these changes, NGA can position itself for the radical shift in geospatial paradigms discussed in Chapter 3.

Nevertheless, the challenges of responding to the hard problems outlined in this chapter will be disruptive to NGA both technologically and organizationally. In Chapter 5 recommendations are made that are intended to ease the transitions due to the hard problems outlined in this chapter.



## 5

# The Research Infrastructure at NGA

### BACKGROUND

The committee feels that, as with its agency precursors, the National Geospatial-Intelligence Agency's (NGA's) ability to meet future mission requirements depends now, and will even more so in the future, on geospatial science and technology research. NGA-led research has been conducted over the years through a wide variety of organizational means. *How* research is conducted is just as important to its success as *what* is researched; therefore the committee felt that how research can most effectively be conducted at NGA was one of the "hard problems" to be addressed. This becomes even more important since NGA's research role is growing to the extent that most major research activity in geographic information science now has some roots in NGA-funded programs, and other federal agencies such as the U.S. Geological Survey (USGS) and the National Science Foundation (NSF) have decreased their allocation of research support to the geospatial disciplines. This chapter reviews the current research framework and makes recommendations for future form, scale, and synergies.

The introductory chapters of this report set out the mission and operational context within which NGA works. These have evolved considerably over the last two decades, with the terrorist attacks of September 11th creating an additional impetus, leading to a paradigm shift in the technology foundations necessary to fulfill NGA's mission. NGA's emphasis of operations has moved from imagery collection and map production (i.e., imagery intelligence; mapping, charting, and geodesy)

for pre-definable theaters of war and deployment scenarios to a focus on predictive, on-demand geospatial intelligence (GEOINT) and the ability to respond in near real time, anywhere, anytime. The evolution, however, is resisted by the complexities and immediacy of NGA's mission imperatives. The emerging GEOINT concepts of "full-spectrum collection," "horizontal integration," and "persistent surveillance" (NGA, 2004a) both inspire NGA's research and development portfolio and simultaneously create a mismatch between NGA's operational systems and the future requirements for research.

The committee observed that there has been a strong tendency to focus research on the improvement of existing architectures. Yet NGA can only achieve so much by investing in research that is based on incremental improvement of data sources and processes within its existing technology. The paradigm shift required to fulfill NGA's GEOINT mission will unavoidably involve discontinuities in the established technology frameworks, organizational structures, and processes of today. The increased reliance on industry for new technology that has worked well over the last decade may not be sustainable. In industry, this is a time of considerable vulnerability. Many commercial organizations will fail and be replaced by newer organizations unencumbered with past technologies. Yet NGA also has to respond to current tasking. As such, NGA will have to invest in two different streams of research. First, there is a need to maintain and improve existing capabilities to make them as productive and robust as possible. A second need is to confront the realization that meeting NGA's current, let alone future, mission will require fundamental, as-yet-undefined redevelopment of information technology (IT) infrastructures and operational processes. In the opinion of the committee, the current level of research support is barely sufficient for the first, let alone the second. Nevertheless, NGA has the potential to build on its existing research model to respond to this critical national need, should the nation decide that such a priority is indeed at the heart of the national interest and award support concurrent with that need. It will be essential to allow vastly increased feedback from the existing research process into NGA's operational programs, and vice versa, so that NGA's problems can become better known to those conducting the pertinent research.

The dichotomous nature of NGA's research future has provoked a debate about incremental versus fundamental change that is clearly active within NGA, and both strands of the debate were heard during the committee's briefing sessions. Chapter 2 describes the current structure for geospatial science and technology research at NGA. The present chapter discusses the committee's findings and conclusions about what is needed to meet the new NGA mission. At the end, this chapter addresses the challenge of moving research forward in parallel with incremental

improvement; the migration of “new-generation” research toward an operational solution that will replace the current architecture; and the specific role that could be played by the external research community.

## RESEARCH ORGANIZATION FOR GEOINT2

The collection of research and development (R&D) support mechanisms used by NGA and described in Chapter 2 has led NGA to the leadership position worldwide in geospatial technologies and capabilities. After reviewing the wide variety of research funding mechanisms, the committee felt that the strongest aspect is NGA’s ability to leverage commercial interests and to collaborate with private-sector organizations and national laboratories to rapidly develop new geospatial technologies. While academic involvement has been strong, the formal NGA Academic Research Program (NARP) component is somewhat dwarfed by the remainder of the structure. Meeting the needs of NGA in the GEOINT2 era will require even closer collaboration among government, industry, and academia in its interactions with the intelligence community (IC). With the changing mission and needs, during the compilation of this report the committee increasingly felt that certain enhancements would help make the research program more effective and responsive to these changing needs. The following sections describe these suggested enhancements.

### R&D Coordination

NGA has now assumed a leadership role in funding geospatial research in the United States. The committee felt that a significant increase in research funding through existing or new programs will be necessary for NGA to build a national research infrastructure and then draw upon this established base to fulfill its vision. NGA clearly appreciates the value of both basic and applied research, as well as the need for a trained and educated future workforce both for its own needs and for those of the nation. Indeed, GEOINT2 and its demands have implications for the whole educational research infrastructure of the United States, from universities and colleges to commercial companies and government agencies. While these entities have a huge stake in the achievement of NGA’s vision, they are nevertheless relatively unguided in how to respond to NGA’s needs for the future. Furthermore, although undirected basic research has high potential payoff, and therefore is beneficial to support, the committee sensed a disconnect between the basic research currently going on in disciplines critical to NGA and what is needed for GEOINT2. Similarly, there seem few means by which NGA’s customers and users can direct their research needs and problems back through the NGA

research infrastructure, providing the sort of user feedback that is often necessary for successful business-style operations.

No standing or centralized body currently coordinates NGA's R&D priorities and projects for GEOINT. A coordinated R&D advisory group with stable membership and regular meetings that focuses specifically on defining an overarching architecture, changing priorities, resource constraints, prior R&D investments, and R&D investment plans under way could be advantageous in achieving NGA's vision. Creation of a new collaborative among the IC, academia, industry, and government around geospatial science would benefit from a "board of directors" with authority to build links and move resources to create synergies. The committee notes that NGA offers a plethora of mechanisms for research support across academia, government, and business; yet these appear to the committee to be uncoordinated and oriented toward shorter-term "incremental" technological approaches to NGA's challenges.

NGA's InnoVision Directorate could create a permanent coordinating committee with representative internal and external membership, tasked with seeking out, supporting, and coordinating R&D that contributes toward NGA's vision and needs, at some appropriately low level of national security classification. This coordinating committee could evaluate NGA's research process itself: comparing strategies, creating triage lists and priorities, selecting topics for each Broad Area Announcement (BAA) or NARP, and debating about those strategies that would best suit different types of research. A coordinating committee could also produce a road map for future strategic research planning. The principal advantages of such a committee would be to (1) increase the proportion of projects that move from basic to applied; (2) raise awareness of the importance of research in achieving NGA's vision; (3) help build and coordinate the broader collaborative that extends beyond the IC and incorporates its differing needs into research planning; (4) eliminate redundancy by helping to ensure links among groups doing similar research within and outside the government; and (5) help streamline the somewhat disparate research efforts on which NGA depends. On the other hand, such a committee could (1) lead to security problems (few academics, for example, hold the clearances necessary to assist such a committee), (2) run the risk of discouraging "outside-the-box" thinking in research, (3) reduce the effectiveness of the existing NGA chain of command, (4) involve international partners in projects better left in-house, and (5) dilute research efforts being directed from the top as national priorities.

While such a standing R&D coordination body could provide some sort of high-level peer oversight, peer review is nevertheless essential to the future quality of NGA research programs, however they are funded. According to a recent Office of Management and Budget (OMB) report,

peer review “can increase the quality and credibility of the scientific information generated across the federal government” (OMB, 2004). The committee feels strongly that the peer review process is as essential in NGA geospatial science as in any other science. In its definition of peer review, Wikipedia (<http://en.wikipedia.org>) notes: “Publications and awards that have not undergone peer review are likely to be regarded with suspicion by scholars and professionals in many fields.” During discussions with investigators of current NARP projects, it was apparent that there was a lack of clear understanding about why their proposals had been selected, or why others had not, and there was little feedback on the research despite site visit contact with program managers. This is particularly problematic since the BAAs and calls for proposals offer few details of why the research is of interest to NGA. The committee felt that NGA is in danger of creating unnecessary and false suspicion around its research due to the lack of peer feedback and review. Despite the perception that lack of peer review is due to security concerns, virtually none of the NGA investigators to whom the committee spoke felt limited in their ability to publish or openly discuss their research as a consequence of receiving funds from NGA.

**RECOMMENDATION 13: Establish peer review processes whenever possible in order to enhance the effectiveness of the research proposal process. This should include but not be limited to review of solicitations, review of grant proposals, and review of cooperative research and development agreement and partnership deliverables.**

Lastly, the coordination of NGA R&D programs requires the definition of roles for each type of organization. A clear role needs to be specified for academics vis-à-vis the product vendors and system integrators that play into the overall technology life cycle. While NGA has organizational means in place for funding academic organizations (e.g., NARP), most of these means could be directed to any type of research organization. Yet businesses and academia have different and more subtle roles to play than simply fulfilling the specifications of a contract, not the least of which are educating the next generation of experts and creating market-driven technologies. The division of labor among research efforts and the appropriate relationships among them matter greatly. It is the job of an R&D coordinating function to provide this clarity of roles and responsibilities. Effective coordination could save money, reduce effort, increase the likelihood of success, and reduce the risk of high-risk research projects.

The committee was impressed by the annual NARP symposium and found the introductory day of short presentations a worthwhile occasion for others within NGA and its related agencies to learn about NARP-

funded research. Nevertheless, the appearance was that little else was done within NARP to ensure that the results of NGA-funded research found their way throughout the agency. There would be significant benefits from closely matching NARP projects and scientists with specific NGA programs, and from promoting and disseminating scientific results within NGA in general. This is a complex task, involving the entire collaborative of groups involved in NGA research. In part, it could involve making reporting and dissemination more central to NARP projects, just as NSF has expanded the role of promoting the broad significance of the research it funds. Consequently, the committee recommends the following.

**RECOMMENDATION 14: Define clear roles, responsibilities, and relationships for the various types of organizations that conduct and disseminate results from R&D in NGA's priority areas (e.g., universities, research institutes, national labs, product companies, system integrators, consortia) in order to increase the effectiveness of this multifaceted research program.**

With respect to Recommendation 14, the committee discussed the NSF's Integrative Graduate Education and Research Traineeship (IGERT) program and found in it a good model for the simultaneous training and educational advancement of scientists of interest to NGA and for the advancement of NGA's research goals. One immediately attainable goal for NGA under this recommendation would be to work with NSF, perhaps using a permanent liaison, to promote or fund one or more IGERTs that explicitly meet NGA's future GEOINT needs. This could be done either by collaborating with NSF or by using the program as a model within the existing research structures. Other federal agencies find themselves in similar situations, and much could be gained by agency collaboration in clarifying these roles.

### **Needs for Development: A Consistent and Flexible Architecture**

NGA's mission statement ties success closely to meeting the needs of its users and customers. This group varies from the broader intelligence community to the military services and coalition partners. It now includes agencies more concerned with public safety and homeland security. If NGA's research is to meet the needs of its future customers, efforts must be directed toward reducing the barriers between research and development. This effort will have the benefit of reducing the time gap from research project to working technology. NGA's users can help this process by providing feedback, but to succeed, theoretical research must take

place in the context of NGA's customers' problems, so that the successes of research can quickly transition to systems. One area that the committee felt would help improve this transition is a better understanding by researchers of NGA's current systems architecture.

A computing and information architecture is the suite of hardware and software components for a particular task, plus the human infrastructure and knowledge base needed for their effective use, including the data models implemented and the paradigm, theory, or ontology embodied. Based on interviews with NARP principal investigators and the committee's knowledge of the NGA research process, it appears that the next-generation target architecture is not clearly defined or promoted by NGA to its R&D community, nor is a baseline architecture defined by NGA for use by its R&D community. Having a better understanding of the overall environment would help researchers and developers more effectively direct and transfer the results of their research to meet NGA's needs.

In lieu of a well-articulated architecture for research purposes, research projects will tend to focus on currently interesting, but isolated, analytical capabilities. The unintended consequence of this is that many of NGA's R&D investments lead by default to incremental improvements to the existing technology baseline, rather than to the next-generation National System for Geospatial Intelligence (NSG) called for by the NGA vision and doctrine. Also, without a clear understanding of the overall architectural environment, it is difficult to effectively propose research projects that are likely to be transferable to operational systems. Every R&D project is different and can lead to different "artifacts," including application programming interfaces (APIs), commercial off-the-shelf (COTS) plug-ins, schemas, architectures, system products, papers, graduate student mentoring strategies, and more. Yet, for instance, a researcher might deliver a COTS plug-in to an application within NGA's technology baseline, but fail to deliver a robust or thread-safe API that might be used in an autonomous process within an enterprise spatial data infrastructure. To integrate the results of related projects under the current architecture, NGA must devote extra resources to defining and communicating its architecture. The need for this expenditure could be obviated by developing exemplar or template architecture guidelines to which external researchers must adhere in delivering project results.

The committee notes that relatively few NARP projects transition from three-year research to five-year development activities. NGA can benefit from assisting more projects that lead to tangible NGA-related products or prototypes. In order to get the most benefit from R&D projects in terms of eventual technology transfer, the committee recommends the following.

**RECOMMENDATION 15: Define and publicly articulate the current and future geospatial information systems architecture at a level of detail sufficient for researchers to design projects that are easily integrated with it.**

**RECOMMENDATION 16: Be explicit about how the results of R&D projects can be incorporated into current and future architectures, and provide administrative support to researchers and developers to ensure that they are connected with the appropriate NGA staff and contractors to facilitate technology vetting and transfer.**

### **International R&D Coalition**

Although most of NGA's R&D programs do not forbid the involvement of non-U.S. nationals, companies, and institutions, there is little involvement in NGA's R&D portfolio by citizens and corporations from coalition countries. This has the consequences of loss of benefit from strands of research being actively addressed by external research groups, underappreciation of the research directions and potential future architectural developments of allies, and given a shortage of first-rate geospatial research expertise globally, loss of an intellectual contribution from leading research groups that could accelerate NGA's research time scales. The committee noted several instances in which minor problems resulting directly from the ability or inability to share information and techniques became sufficient to restrict the scope or execution of research. The committee therefore recommends the following.

**RECOMMENDATION 17: Work to broadly involve the geospatial science and technology R&D community from coalition countries, to ensure that NGA has access to the broadest possible pool of expertise.**

## 6

# Priorities for NGA GEOINT Research

The National Geospatial-Intelligence Agency (NGA) faces an extraordinary challenge in the years ahead in moving from an intelligence environment that remained essentially unchanged during the Cold War, to an era of ubiquitous and real-time geospatial intelligence (GEOINT). The decision to redesign NGA around the concept of GEOINT was sound. Yet the hard research problems faced by NGA in the years ahead will require a concerted effort to devote resources to developing the new approach and to nurturing the revised and expanded collaboration among the intelligence community, government, industry, and academia necessary for achieving this goal.

The committee feels that NGA's new doctrine and vision statement offers an impressive view of the way forward. Nevertheless, NGA is a large government agency, with a definitive culture and workforce and with capabilities that need to be considered as the doctrine is upheld and the vision implemented. Many challenges in the years ahead will be related to human and organizational infrastructure as much as to technical and methodological architecture.

The committee's charge was to examine the hard problems in geospatial science that must be addressed to improve geospatial intelligence, and to identify promising methods and tools in geospatial science and related disciplines that can be brought to bear on national security and homeland defense problems. Most of the committee's recommendations address this charge directly, and Chapter 4 structures the identification of problems and methods around the "top 10" priority list generated by the NGA.

However, it is also useful to put the problems in the context of the actual process of *doing* GEOINT, to better show how research will support the evolution of the various steps in the GEOINT process.

The next section puts forward a framework that describes the GEOINT2 process and information flow and then correlates the hard problems identified in Chapter 4 with the steps in the framework. Whereas the top 10 challenges are focused on the overall process and its outcomes, the framework described below is focused more on the individual steps of the process. Looking at the hard problems in both ways will allow the development of a more organized and robust research agenda and clarify the needed prioritization. These priorities are covered later in this chapter.

### GEOINT2 PROCESS FLOW

The key stages in geospatial information handling are to acquire, identify, integrate, analyze, disseminate, and preserve. In prior eras, these were separate and quite distinct tasks, even compartmentalized in terms of security. Early era space surveillance, for example, included segments of this cycle that took place in different states, at different times, and with different skills and affiliations such that most participants had no concept of the remainder of the cycle or were even aware that there was a cycle. This is the environment in which today's GEOINT evolved, yet the NGA vision recognizes that the Cold War compartmentalized model is no longer adequate. A cycle that once could take months must now happen in minutes. There is no longer time to rely on fortuitous knowledge synthesis, nor can the system depend on specialists who spend their entire careers on a single problem.

The GEOINT2 analysis framework as envisioned by this committee is shown in Figure 6.1. The framework operates within, and is supported by, the existing cyberinfrastructure to sustain on-demand intelligence, to monitor and minimize uncertainties, and to preserve semantics in data and in GEOINT. GEOINT is a circular flow from newly acquired data to archived result. Yet thinking of the framework as a processing cycle with a clear beginning and end is a fallacy. In reality, new data arrive in a never-ending stream from instruments and the Internet. Thus, data input is a network of networks, remote sensing systems, cyberinfrastructure, sensor webs, additional intelligences (INTs), and so forth. Flowing out of the cycle is knowledge, in the form of specific decisions, reports, and actions, but also flowing back from this knowledge are new data. Both preservation and dissemination are outputs to specific communities, the "customers" for intelligence, but they are also sources of new data for future use. In GEOINT2, it should be as easy to acquire existing data with embedded links to the current time period as it is to acquire new data or




FIGURE 6.1 GEOINT2 information flow.

images. Expanding and building on prior and existing knowledge in addition to new data will permit the establishment of a knowledge-based GEOINT2. Much of the necessary research and development for GEOINT2 is required to improve these stages, whereas some issues are overarching and impact all parts of the cycle and their synthesis.

The stages of the information cycle, as imagined operating under GEOINT2 and illustrated in this framework, can be expanded as follows.

*Acquire.* Information acquisition incorporates targeted gathering strategies and intelligent preprocessing and filtering, to collect no more and no less information than is required. A current strategy is to collect everything. In GEOINT2, the goal is to collect only what has changed.

*Identify.* This operation starts with specific intelligence tasks and identifies the information resources required to address the problem. This is followed by pre-processing of individual retrieved datasets, to filter, enhance, or segment out of them the required task-specific content. Image processing extracts features and identifies patterns and anomalies. Current classification methods are automated but still require some degree of manual oversight for interpretation. Identification in urban scenes is a special problem due to the rate at which items change and because of the amount of indoor, under-canopy, and under-ground activity. Tasks of identification include embedding data with “hidden” metadata and lineage information (watermarking) and the discovery of pseudosignatures or other image deception. As features are identified or tracked within a dataset, evidence of uncovered content could be automatically stored in the permanent metadata record. As the data move through the rest of the framework, these metadata are progressively augmented. By the time the preservation phase of the framework is reached, a chronological tag of successful (and failed) applications of the data should initiate the transformation of an archive that simply contains data into a self-describing knowledge base.

*Integrate.* Data acquired from multiple sensors carry varying granularity, geometric type, time stamps, and registered footprints. Data fusion rectifies coordinate positions to establish which features have not changed over time in order to focus on what has changed. The fusion, however, involves confronting several hard problems discussed in Chapter 4, including spatial and temporal conflation, dealing with differential accuracy and resolutions, creating the ontologies and architectures necessary for interoperability, and managing uncertainty with metadata.

*Analyze.* The dependence of geospatial data on resolution, proximity, and local context creates special problems for conventional forms of spatial analyses. NGA additionally needs to support real-time and near-real-time analysis of battlefield planning scenarios including, where appropriate, spatial optimization problems (e.g., trafficability) and trade-off analysis using distributed computing technologies. Hard problems of relevance include the integration of analytical results into salient displays, integrating high-performance computing (HPC), and communicating uncertainty in the analytical stages. The analysis flow itself is an important part of metadata, and while new capabilities in geographic information systems (GIS), (e.g., Environmental Systems Research Institute's model-builder) facilitate this, much work remains to be done.

*Disseminate.* Disseminating intelligence as it is prepared forms a major part of NGA activities because it impacts operations planning, distributed and collaborative GEOINT, and augmented reality (the concurrent use of map and/or image data to augment one's view of a real landscape). The traditional paper map or image photo print and physical distributions and publishing have still to yield completely to digital representations and Internet distribution. As noted above, successful sharing of data and information analysis results will require shared standards describing data format and meaning among the systems used by different agencies and including provenance, workflow, and uncertainty information.

*Preserve.* Preserving geospatial information poses several challenges, particularly in terms of the volume of information that is collected (currently on the order of terabytes per day). Challenges include dealing with the sheer redundancy of much of the information that is collected, the difficulties involved with indexing for efficient cataloging and retrieval, and the security and declassification policies that must be established to protect both discovered and as-yet-undiscovered intelligence.

## HARD PROBLEMS IN THE CONTEXT OF THE GEOINT2 FRAMEWORK

This section links the hard problems (as summarized in the recommendations) identified in Chapter 4 with the steps in the GEOINT2 framework described above. It then gives a priority to each of the recommendations. The process recommendations from Chapter 5 are also prioritized. Priorities are assigned numerical levels 1, 2, and 3. Priority 1 research is considered vital, immediate in terms of support needs, and a prerequisite to higher priorities. Priority 2 needs are problems that require solution if the preconditions for the GEOINT2 transition are to be met. Priority 3

involves research that is necessary to complete the full set of GEOINT2 demands.

### Acquire

Three recommendations relate primarily to geospatial data acquisition. Recommendation 10 seeks to widen the scope of data input to include not just the more traditional static targets but also to include moving objects. Moving targets are literally harder to hit because they demand data synthesis (1) across sensors, (2) across scales and resolutions, (3) across the spectrum, and (4) in time. In the 2020 scenario in Box 2.2, the target is not a single point, nor is it a building or object. What is significant is the convergence of multiple sources of information on an action point and time, which is the choice of the person on the ground. No one sensor provides all of the necessary data, nor could it. Data and information fusion, however, are indeed in their infancy. Without this capability, and the theory, methods, and technology to support it, GEOINT2 would not be possible. This recommendation is therefore assigned Priority 2.

Recommendation 1 is similar, but recognizes that sensor network research should focus on the impact of sensor networks on the entire knowledge assimilation process. Stated succinctly, this recommendation warns that sensor networks cannot be thought of in the same way as imagery intelligence (IMINT). Sensors can inform the entire cycle and provide useful and essential links at all stages. Dissemination, for example, in the push-pull Internet model, is simply allowing NGA intelligence to be input to other processes in other agencies and services. Here NGA must seek its place within the vast array of public, commercial, and government information environments and technologies, both as information and knowledge supplier and as a consumer through sensor networks that are beyond its control, but essential for its operations. Given that sensor networks will develop independently of NGA's needs and that NGA will not be the only user or supplier of them, this research need is rated as Priority 3.

Recommendation 3 is also of importance for the acquisition phase and recognizes the demands that GEOINT2 will place on database management systems. The recommendation targets research at ensuring that current database architectures scale up to meet the demands of agile geospatial sensor networks. With a vast variety of sensors, remote and otherwise, and with a substantial increase in data volumes from all sensors due to increased spectral, spatial, and temporal resolution, the likelihood of failure of the existing models is high. If NGA participates in supporting basic research in this area, it will help ensure that new architectures are available when NGA needs them. This is a high-priority need and so is assigned Priority 2.

## Identify

On the important topic of identification, the committee makes a single recommendation (Recommendation 2): Research should be encouraged on spatiotemporally enabled geospatial data mining and knowledge discovery, on the visualization of time-space, and on the detection and description of time-space patterns such as trajectories. This recommendation formalizes the importance placed by the committee on the need to move away from static GEOINT, such as maps and images, toward data streams linked to features moving against a background of more static, but still changing, reference data. This means not simply being able to update the spatial information framework rapidly (e.g., imagery, vector cultural data, place names, vegetation, digital elevation model), but also being able to identify and recognize patterns, repetitions of prior movements, time-space structures, and so forth. Examples might be tracking a vehicle as it moves across the landscape, perhaps with multiple sensors; recognizing a movement pattern from the past (e.g., distinguishing between a routine and a special boat patrol); or entire development patterns (e.g., systematic movement of troops or material toward a border, or the large-scale planned digging of mass graves). The committee ranks the ability to manage, detect, and encode both small- and large-scale movement patterns as Priority 1. Without these tools, little can be done to migrate to GEOINT2, and similarly, the challenges are evident in existing and near-term systems.

## Integrate

Issues of integration are generally a matter of achieving interoperability of concepts, systems, and data. The committee strongly believes that a common ontology for time-space data is necessary before a next-generation architecture can emerge. This is also the key to data sharing with other agencies and with coalition partners. Five recommendations fall into this stage of the intelligence cycle. Recommendation 7 recognizes the broad need to raise the level of academic scholarship on fusion, especially of geospatial data. There are a host of critical issues that have to be confronted. How are different data sources matched with each other seamlessly? Where do problems of scale compatibility make fusion difficult or impossible? How are data from one spatial sampling system (e.g., points or pixels) matched with data from others (e.g., census tracts, police districts). At the syntactic level, how literally can data formats be meaningfully conflated, given that both have independently measured locations and identifications for what should be the same objects? This recommendation is assigned Priority 3, being more long-term oriented.

Recommendation 3 impacts the integrate phase as well as the acquire phase as described above. At the syntactic interoperability level, Recommendation 3 targets the ability of current database architectures and data models to scale up to meet the demands of agile geospatial sensor networks. If NGA is to meet its projected needs, this problem is likely to become of concern in the very near future. It is assigned Priority 2 only because the current architectures may be able to meet some future needs without disruptive changes in technology. Nevertheless, this capacity cannot be relied upon in the longer term.

Recommendation 8 stresses the importance of toponymy for interoperability. As data find their way from the huge variety of sources, in various forms and formats, it is simple language that holds one of the keys to integration. While NGA's capabilities around toponymic services are exemplary, to go to the next stage (i.e., to fully integrate the Internet, news feeds, intelligence reports, presidential daily briefing summaries), the walk between places as text and places as coordinates must be a robust transformation. Text-based sources must be up-to-date, reliable, and authoritative. The algorithms that allow them to extract coordinates must also be, and they must function quickly and accurately. At the very least, NGA needs superior capabilities to on-line systems such as MapQuest worldwide that support the use of multiple languages. The committee assigns advanced toponymic services to Priority 2.

Recommendation 9 seeks research to promote the reuse and preservation of data. Past preservation paradigms have been based on the tile (e.g., a map sheet or image scene) or on a collection (a revision, a map series, or a whole instrument's coverage). GEOINT2's most difficult challenge is that the key operation unit of the GEOINT database should be the feature. Features appear in multiple sources and need to be searchable across sources. A typical image search from the Cold War era was to find all features in all (identical) images that match a specific template, such as a missile silo or a henhouse-shaped radar building. Such tasks could be automated because the target was essentially fixed and invariant. With sensor fusion, each sensor (or intelligence source) has a different pattern for the same object. To a pressure-sensitive smart-dust mote, a particular tank is recognized by its weight, magnetic signal, or sound. To a remotely sensed image, it is a fixed-shape object that is darker than its surroundings. To a video camera on a Predator, it may be a distant exhaust plume or dust cloud. All data should be brought together and used collectively to assert the existence of the object and then compute its position, velocity, off-road capability, time-space trajectory, and so forth. This approach is strengthened when past data can be used for matching too, but only if the signal has been detached from the reference frame in which it was captured and converted into smart data at the feature level. Similarly, features

that encode their own descriptions and histories are self-contained and can be stored and searched in innovative ways. The committee assigns this recommendation to Priority 2, recognizing that its requirements will be disruptive to existing software and database systems. Recommendation 11 seeks the creation of a complete descriptive schema for geospatial objects of importance to GEOINT—that is, a fully formalized GEOINT ontology. As a top-down exercise, perhaps led by analysts, and concentrating on analysis tasks rather than the particulars of sensor systems, this recommendation sets the scene both for the development of the database architecture for GEOINT2, and for a more effective GEOINT. What are the objects of interest to interpreters and analysts? How are they described? How do they move? What are their relations (1) to the geographical environment and (2) to each other? On the surface this is an abstract exercise but a critical one. The committee assigns this task Priority 3.

### Analyze

Recommendation 4, while directed at all stages of the intelligence cycle, is probably most applicable to the analysis phase. The recommendation is that research should be directed toward the determination of what processes are most suitable for automated processing, which favor human cognition, and which need a combination of human-machine assistance. With the demands for intelligence at their peak when the analyst does his or her work, this recommendation seeks to create a research task out of determining how the job is conducted, what information is needed during which tasks, and how the computer can either do work, assist, or just get out of the way. When, for example, is too much information a detriment rather than help? How does an analyst shut out information while filtering or scanning? How can salient information be brought to an analyst's attention without distraction? What happens when the analyst is also the field operative, conducting the analysis in real time on the battlefield? The foundation in human spatial behavior and cognition can be of help in this task. The committee assigns this recommendation Priority 2.

Given the importance to NGA of visualization of GEOINT data, Recommendation 5 suggests that research should be supported that investigates new methods of data representation that facilitate visualization. Again, although visualization is likely to be of most use in analysis and identification, there are few parts of the intelligence cycle in which visualization is not useful. New methods such as latent semantic indexing, the semantic web, and self-organizing maps are able to take nonspatial data and use spatial visualization methods to seek pattern. Visualization research has other funders and disciplines for support, and that research

is robust. Nevertheless, the committee assigns this recommendation Priority 2.

### **Disseminate**

Recommendation 12 directs NGA research toward the particular needs of geospatial data for protection with multilevel security and the processing of data so that they resemble public domain or commercially produced structures and formats. Anecdotally, the committee heard that this problem was “eating our lunch” and of the highest priority. While cryptography is well supported in terms of research, the lack of attention to geospatial data and the need for short- and long-term solutions lead the committee to assign this recommendation to Priority 1.

### **Preserve**

Recommendation 9, the reuse and preservation of data, also impacts the integrate phase and is described above in that section. The preserve step is also impacted by Recommendation 6. The goal of self-describing feature-level data is ambitious. Few commercial database systems are designed to handle these data and even fewer in large volumes. The benefits of Recommendation 6, while also generic to all phases of the GEOINT cycle (i.e., NGA should ensure that the special needs of geospatial data are met by high-performance grid computing), are most likely to be pertinent to the archiving and retrieval of data after the fact. Given the unprecedented data volumes, and the relatively slow speed with which GIScience (geographic information science) is interacting with HPC and grid computing, plus the availability of the national laboratories, much could be done to advance the research frontier now to NGA’s advantage. This recommendation is assigned Priority 2.

Table 6.1 summarizes the hard problems by framework step.

### **The Research Process**

Some of the recommendations refer not to the framework, but to the overall process of doing research. Recommendation 13 states the committee’s strong support for the peer review process in NGA research. Other federal agencies, such as the National Science Foundation, are exemplars in this respect. Few NGA research funding mechanisms would need to be outside the peer review process, and innovative mechanisms could be used to ensure their quality. The NGA Academic Research Program (NARP) is off to a solid start in this regard, but it could benefit from

TABLE 6.1 Hard Problems in the Context of GEOINT2 Framework

GEOINT Framework Step	Hard Research Problems	Recommendation
Acquire	Assimilation of new, numerous, and disparate sensor networks within the tasking, processing, exploitation, and dissemination (TPED) process	1
	Detection of moving objects from multiple heterogeneous intelligence sources	10
	Spatiotemporal database management systems	3
Identify	Spatiotemporal data mining and knowledge discovery from heterogeneous sensor data streams	2
Integrate	Image data fusion across space, time, spectrum, and scale	7
	Spatiotemporal database management systems	3
	Role of text and place name search in data integration	8
	Reuse and preservation of data	9
	GEOINT ontology	11
Analyze	Process automation versus human cognition	4
	Visualization	5
Disseminate	Multilevel security	12
Preserve	High-performance grid computing for geospatial data	6
	Reuse and preservation of data	9

additional attention to the peer review process, including feedback to its collaborators. This recommendation is assigned Priority 1.

The casual reader of Chapter 2 would probably become confused about the number and diversity of means by which NGA research brings new knowledge and ideas forward. Recommendation 14 calls on NGA to define clear roles, responsibilities, and relationships for the various types of organizations that conduct and disseminate results from research and development (R&D) in NGA's priority areas. There appears to be some room for more synthesis and perhaps consolidation that could benefit

NGA's programs and directorates. This recommendation is assigned Priority 3.

Recommendation 15 suggests that NGA define and publicly articulate the current and future geospatial information architecture, at a level of detail sufficient for the integration of future prototype systems and components. The goal of this task is to align and interoperate current and near-future systems. This task is not difficult; indeed, it is development rather than research. By choosing a set or suite of components, or even a set of rules and specifications, immediate orders-of-magnitude improvements in interoperability will be possible, at least at the data exchange level. It will also help NARP to move more projects into years four and five, where actual products can result from research. Too few demonstration prototypes find their way into operational systems and, thus, never get the chance to have an impact. A common architecture, or even a loose set of desirable traits, may be sufficient. This recommendation is assigned Priority 1. Recommendation 16 asks that NGA be explicit about how the results of R&D projects can be incorporated into current and future architectures. This recommendation seeks closer collaboration among NGA's disparate research community, a goal that may not be a "hard problem," and so is assigned Priority 3.

Recommendation 17 is a response to NGA's own goal of working more closely with the geospatial science and technology R&D community from coalition countries. This not only ensures access to human capital and deals partially with the shortage of people trained in GIScience, but also builds future collaborations that could have lasting value. Naturally, this recommendation depends highly on the assurance of new means of horizontal integration and so is assigned Priority 3.

Table 6.2 summarizes all of the recommendations by priority.

## CONCLUSIONS

All told, the series of recommendations made in this report are the result of a considerable amount of research, reflection, and discussion among the members of the committee. With the broad representation reflected by the committee's membership, there is consensus that these recommendations represent considerable wisdom, and not a small amount of "intelligence." The committee urges NGA to consider them carefully.

A next stage in consideration of these hard problems would be for NGA to work with its partners both within and outside the intelligence community to create a research agenda. Publication of this agenda would have the dual benefits of informing NGA's research partners of the sense of priorities for research at NGA and making the problems tangible; it

TABLE 6.2 Prioritization of Hard Problems and Recommendations

Priority	Hard Problem, Recommendation	Recommendation
1	<b>Spatiotemporal data mining and knowledge discovery from heterogeneous sensor data streams</b>	2
	<b>Multilevel security</b>	12
	Increase use of peer review	13
	Communicate current and future architecture to researchers	15
2	<b>Spatiotemporal database management systems</b>	3
	<b>Process automation versus human cognition</b>	4
	<b>Visualization</b>	5
	<b>High-performance grid computing for geospatial data</b>	6
	<b>Role of text and place name search in data integration</b>	8
	<b>Reuse and preservation of data</b>	9
	<b>Detection of moving objects from multiple heterogeneous intelligence sources</b>	10
3	<b>Assimilation of new, numerous, and disparate sensor networks within the tasking, processing, exploitation, and dissemination (TPED) process</b>	1
	<b>Image data fusion across space, time, spectrum, and scale</b>	7
	<b>GEOINT ontology</b>	11
	Define roles of various research participants	14
	Define how projects fit into architecture	16
	Collaborate with coalition countries on geospatial R&D	17

NOTE: Bold indicates hard problem; no bold indicates process recommendation.

could also serve as a guidance document for future Broad Area Announcements and directed research requests. When linked to the more abstract but critical doctrine guidance provided by NGA's leadership, the agency will be well on the way to the design and implementation of GEOINT2, the geospatial intelligence infrastructure for the twenty-first century.



## References

- Agarwal, P. 2005. Ontological considerations in GIScience. *International Journal of Geographical Information Science* 19(5):501-536.
- Armstrong, M. P. 1994. Requirements for the development of GIS-based group decision support systems. *Journal of the American Society for Information Science* 45(9):669-677.
- Armstrong, M. P., G. Rushton, and D. L. Zimmerman. 1999. Geographically masking health data to preserve confidentiality. *Statistics in Medicine* 18(5):497-525.
- Armstrong, M. P., S. Wang, and M. Cowles. 2005. Using a computational grid for geographic information analysis. *Professional Geographer* 57(3):365-375.
- Atkins, D. E., K. K. Droegemeier, S. I. Feldman, H. Garcia-Molina, M. L. Klein, D. G. Messerschmitt, P. Messina, J. P. Ostriker, and M. H. Wright. 2003. Revolutionizing Science and Engineering Through Cyberinfrastructure: Report of the National Science Foundation Blue-Ribbon Advisory Panel on Cyberinfrastructure. National Science Foundation. Available on-line at <http://www.nsf.gov/od/oci/reports/toc.jsp>.
- Atkinson, P., and D. Martin, eds. 2000. *GIS and GeoComputation*. New York: Taylor and Francis.
- Baker, J. C., B. Lachman, D. Frelinger, K. M. O'Connell, A. C. Hou, M. S. Tseng, D. T. Orletsky, and C. Yost. 2004. *Mapping the Risks: Assessing the Homeland Security Implications of Publicly Available Geospatial Information*. Santa Monica, CA: RAND Corporation.
- Bennett, D.A., N. Xiao, and M. P. Armstrong. 2004. Exploring the geographic consequences of public policies using evolutionary algorithms. *Annals of the Association of American Geographers* 94(4):827-847.
- Berners-Lee, T., J. Hendler, and O. Lassila. 2001. The semantic web. *Scientific American* 284(5):34-43.
- Bespamyatnikh, S., B. Bhattacharya, D. Kirkpatrick, and M. Segal. 2000. Mobile facility location (extended abstract). In *Proceedings of the 4th International Workshop on Discrete Algorithms and Methods for Mobile Computing and Communications*, Boston, MA, August 11, pp. 46-53. New York: ACM Press.
- Buckley, A. R, M. Gahegan, and K. C. Clarke. 2004. Geographic visualization. Chapter 11 in *A Research Agenda for Geographic Information Science*, R. B. McMaster and E. L. Userly, eds. Boca Raton, FL: CRC Press.

- Bulusu, N., and S. Jha, eds. 2005. *Wireless Sensor Networks: A Systems Perspective*. London: Artech House.
- Clapper, Jr., Lt. Gen. James R. 2004. *Imagine the power of GEOINT*, Pathfinder 2(1) May-June. National Geospatial Intelligence Agency.
- Clarke, K. C. 2003. Geocomputation's future at the extremes: High performance computing and nanoclients. *Parallel Computing* 29(10):1281-1295.
- Clarke, K. C. 2004. Foreword: Special issue on mobile mapping and GIS. *Cartography and Geographic Information Science* 31(3).
- Cramer, B. E., and M. P. Armstrong. 1999. An evaluation of domain decomposition strategies for parallel spatial interpolation of surfaces. *Geographic Analysis* 31(2):148-168.
- De Roure, D., N. R. Jennings, and Shadbolt. 2001. *Research Agenda for the Semantic Grid: A Future e-Science Infrastructure*, National e-Science Centre, Edinburgh, UK.
- Devilliers, R., Y. Bedard, and R. Jeansoulin. 2005. Multidimensional management of geospatial data quality information for its dynamic use within GIS. *Photogrammetric Engineering and Remote Sensing* 71(2):205-215.
- Edwards, G., and R. Jeansoulin. 2004. Special issue: Data fusion. *International Journal of Geographical Information Science* 18(4).
- Egenhofer, M. J., and R. G. Golledge, eds. 1998. *Spatial and Temporal Reasoning in Geographic Information Systems*. New York: Oxford University Press.
- Fayyad, U. M., G. Piatetsky-Shapiro, and P. Smyth. 1996. From data mining to knowledge discovery: An overview source. In *Advances in Knowledge Discovery and Data Mining*. Menlo Park, CA: American Association for Artificial Intelligence.
- Footy, G. M., and P. M. Atkinson. 2003. *Uncertainty in Remote Sensing and GIS*. New York: J. Wiley.
- Foster, I., and C. Kesselman. 1997. Globus: A metacomputing infrastructure toolkit. *International Journal of Supercomputer Applications* 11(2):115-128.
- Gahegan, M., M. Wachowicz, M. Harrower, and T. Rhyne. 2001. The integration of geographic visualization with knowledge discovery in databases and geocomputation. *Cartography and Geographic Information Science* 28(1):29-44.
- Garrett, D. September 2004. Commitment for the Future. Available on-line at <http://www.military-geospatial-technology.com/article.cfm?DocID=632/>.
- Guting, R. H. 1994. An introduction to spatial database systems. *VLDB Journal* 3(4):357-399.
- Guting, R. H. 2005. *Moving Objects Databases*. Morgan Kaufmann Series in Data Management Systems. San Francisco: Morgan Kaufmann.
- Hill, L., and Q. Zheng. 1999. Indirect geospatial referencing through place names in the digital library: Alexandria digital library experience with developing and implementing gazetteers. In *Knowledge: Creation, Organization and Use*. Proceedings of the 62nd Annual Meeting of the American Society for Information Science, Washington, DC, Oct. 31-Nov. 4.
- Hix, D., E. Swan, J. Gabbard, M. McGee, J. Durbin, and T. King. 1999. User-centered design and evaluation of a real-time battlefield visualization virtual environment. In *Proceedings of IEEE Virtual Reality, 1999*, Houston, TX, March 13-17, pp. 96-103. IEEE (Institute of Electrical and Electronics Engineers). 1999. *IEEE Transactions on Geoscience and Remote Sensing* 37(3).
- Joint Chiefs of Staff. 2000. *Joint Vision 2020*. Washington, DC: Government Printing Office.
- Klein, L. 2004. *Sensor and Data Fusion: A Tool for Information Assessment and Decision Making*. Bellingham, WA: SPIE Press.
- Koubarakis, M., T. K. Sellis, A. U. Frank, S. Grumbach, R. H. Güting, C. S. Jensen, N. A. Lorentzos, Y. Manolopoulos, E. Nardelli, B. Pernici, H. Schek, M. School, B. Theodoulidis, and N. Tryfona, eds. 2003. *Spatio-Temporal Databases: The CHOROCHRONOS Approach*. Lecture Notes in Computer Science 2520. New York: Springer.

- Kraak, M. J. 2003. The Space-Time Cube Revisited from a GeoVisualization Perspective. Proceedings of the 21st International Cartographic Conference (ICC) Durban, South Africa, August 16. Cartographic Renaissance.
- Kraak, M. J., and A. Brown. 2001. Web Cartography: Developments and Prospects. New York: Taylor and Francis.
- Laub, P., S. Imfeld, and R. Weibel. 2005. Discovering relative motion patterns in groups of moving point objects. *International Journal of Geographical Information Science* 19(6):639-668.
- Lesser, V., C. L. Ortiz, and M. Tambe. 2003. Distributed Sensor Networks: A Multi-agent Perspective. Nowell, MA: Kluwer Academic Publishers.
- Longley, P. A., S. M. Brooks, R. McDonnell, and B. MacMillan. 1999. Geocomputation: A Primer. New York: J. Wiley.
- McCray, T. M., M. E. H. Lee-Gosselin, and M. P. Kwan. 2005. Measuring activity and action space/time: Are our methods keeping pace with evolving behaviour patterns? In *Integrated Land-Use and Transportation Models: Behavioural Foundations*, M. E. H. Lee-Gosselin and S. T. Doherty, eds. Oxford: Pergamon-Elsevier.
- McIntosh, J., and M. Yuan. 2005. Assessing similarity of geographic processes and events. *Transactions in GIS* 9(2):223-245.
- McMaster, R. B., and L. A. Usery. 2004. A Research Agenda for Geographic Information Science. Boca Raton, FL: CRC Press.
- Miller, H. J. 2005a. Necessary space-time conditions for human interaction. *Environment and Planning B: Planning and Design* 32:381-401.
- Miller, H. J. 2005b. A measurement theory for time geography. *Geographical Analysis* 37:17-45.
- MITRE Corporation. 2004. Horizontal Integration: Broader Access Models for Realizing Information Dominance. JSR-04-132 JASON program office. Available on-line at <http://www.fas.org/irp/agency/dod/jason/classpol.pdf>.
- Negroponte, J. D. 2005. The National Intelligence Strategy of the United States of America. Transformation Through Integration and Innovation. Office of the Director of National Intelligence, Washington DC. Available on-line at <http://www.odni.gov>.
- NGA (National Geospatial-Intelligence Agency). 2004a. GEOINT Basic Doctrine: NGA GEOINT publication 1. Available on-line at [http://www.nga.mil/NGASiteContent/StaticFiles/OCR/geo\\_pub1.pdf](http://www.nga.mil/NGASiteContent/StaticFiles/OCR/geo_pub1.pdf).
- NGA (National Geospatial-Intelligence Agency). 2004b. National System for Geospatial Intelligence (NSG) Statement of Strategic Intent: The Functional Manager's Perspective. Bethesda, MD: NGA.
- NRC. 2001. Assessment of Department of Defense Basic Research. Washington, DC: National Academy Press.
- NRC. 2005. Licensing Geographic Data and Services. Washington, DC: The National Academies Press.
- Nyerges, T. L., D. M. Mark, R. Laurini, and M. J. Egenhofer, eds. 1995. Cognitive aspects of human-computer interaction for geographic information systems. Norwell, MA: Kluwer Academic Publishers.
- OMB (Office of Management and Budget). 2004. Final Information Quality Bulletin for Peer Review. Available on-line at <http://www.whitehouse.gov/omb/memoranda/fy2005/m05-03.html>.
- Pagac, D., E. M. Nebot, and H. Durrant-Whyte. 1998. An evidential approach to map-building for autonomous vehicles. *IEEE Transactions on Robotics and Automation* 14(4):623-629.
- Peng, Z. R., and M. H. Tsou. 2003. Internet GIS: Distributed Geographic Information Services for the Internet and Wireless Networks. New York: John Wiley.
- Peuquet, D. J. 2002. Representations of Space and Time. New York: Guilford.
- Phelps, T., and R. Wilensky. 1998. Multivalent Documents: A New Model for Digital Documents. UC Berkeley Computer Science Technical Report UCB/CSD UCB//CSD-98-999.

- Rizos, C., and C. R. Drane. 2004. The role of telegeoinformatics in ITS. Chapter 11 in *Telegeoinformatics: Location-Based Computing and Services*, H. A. Karimi and A. Hammad, eds. Boca Raton, FL: CRC Press.
- Schiller, J., and A. Voisard. 2005. *Location-Based Services*. The Morgan Kaufmann Series in Data Management Systems. San Francisco: Elsevier.
- Schultz, M. 2004. Letter to our readers. *Pathfinder*, Vol. 2(1), May-June.
- Shekhar, S., and S. Chawla. 2003. *Spatial Databases: A Tour*. New York: Prentice Hall.
- Shekhar, S., S. Ravada, G. Turner, D. Chubb, and V. Kumar. 1996. Parallelizing a GIS on a shared address space architecture. *Computer (Special Issue on Shared Memory Multiprocessors)* 29(12).
- Shekhar, S., S. Ravada, V. Kumar, D. Chubb, and G. Turner. 1998. Declustering and load-balancing methods for parallelizing geographic information systems. *IEEE Transactions on Knowledge and Data Engineering* 10(4):632-655.
- Shekhar, S., P. Zhang, Y. Huang, and R. Vatsavai. 2004. Trends in spatial data mining. In *Data Mining: Next Generation Challenges and Future Directions*, H. Kargupta, A. Joshi, K. Sivakumar, and Y. Yesha, eds. Menlo Park, CA: AAAI/MIT Press.
- Stefanidis, A., and S. Nittel, eds. 2005. *GeoSensor Networks*. Boca Raton, FL: CRC Press.
- Transaction Processing Performance Council. 2005. TPC Benchmarks. Available on-line at <http://www.tpc.org/information/benchmarks.asp> [accessed July 14, 2005].
- UCGIS (University Consortium for Geographic Information Science). 1996. Research priorities for geographic information science. *Cartography and Geographic Information Systems* 23(3).
- Wang, S., and M. P. Armstrong. 2003. A quadtree approach to domain decomposition for spatial interpolation in grid computing environments. *Parallel Computing* 29(10):1481-1504.
- Wang, S., and M. P. Armstrong. 2005. A theory of the spatial computational domain. *Geocomputation 2005, Proceedings of the 8th International Conference*. School of Natural Resources and the Environment, University of Michigan, Ann Arbor.
- Warneke, B., and K. S. J. Pister. 2002. Exploring the limits of system integration with smart dust. 2002 ASME International Mechanical Engineering Congress & Exhibition, Symposium on MEMS, New Orleans, November 17-22.
- Worboys, M., and M. Duckham. 2005. *GIS: A Computing Perspective*. Boca Raton, FL: CRC Press.
- Worboys, M. F., and K. Hornsby. 2004. From objects to events: GEM, the geospatial event model. In *Proceedings of GIScience 2004, Lecture Notes in Computer Science, 3234*, M. Egenhofer, C. Freska, and H. Miller, eds. Berlin: Springer.

# Appendixes



# Appendix A

## List of Acronyms

ACTD	Advanced Concept Technology Demonstration
API	application programming interface
ARIVA	Advanced Research in Interactive Visualization for Analysis
BAA	Broad Area Announcement
BARO	Basic and Applied Research Office
CBRTA	Chemical, Biological, and Radiological Technology Alliance
CIA	Central Intelligence Agency
COTS	commercial off-the-shelf
CRADA	cooperative research and development agreement
DARPA	Defense Advanced Research Projects Agency
DBMS	Database Management Systems
DHS	Department of Homeland Security
DMA	Defense Mapping Agency
DoD	Department of Defense
DTO	Disruptive Technology Office
FGDC	Federal Geographic Data Committee
GEOINT	geospatial intelligence
GIS	geographic information systems
GIScience	geographic information science

GML	geography markup language
GPS	Global Positioning System
HBCU-MI	Historically Black Colleges and Universities and Minority Institutions
HPC	high-performance computing
HPGIS	high-performance geospatial intelligence systems
IC	intelligence community
IFSAR	interferometric synthetic aperture radar
IGERT	Integrative Graduate Education and Research Traineeship
IMINT	imagery intelligence
INT	intelligence
I/O	input-output
IT	information technology
LAN	local area network
LBS	location-based services
LIDAR	light detection and ranging
MULTI-INT	multiple types of intelligence
NARP	NGA Academic Research Program
NGA	National Geospatial-Intelligence Agency
NIMA	National Imagery and Mapping Agency
NPIC	National Photographic Interpretation Center
NRC	National Research Council
NRO	National Reconnaissance Office
NSA	National Security Agency
NSF	National Science Foundation
NSG	National System for Geospatial Intelligence
NTA	National Technology Alliance
NURI	NGA University Research Initiatives
OGC	Open Geospatial Consortium
OID	object identifier
OMB	Office of Management and Budget
R&D	research and development
RDF	resource development framework
SAR	synthetic aperture radar
SBIR	Small Business Innovation Research

S-DBMS	spatial database management system
SDTS	spatial data transfer standard
SOLAP	Spatial OnLine Analytical Processing
STAR	Synergistic Targeting Auto-extraction and Registration
ST-DBMS	spatiotemporal database management system
TPED	tasking, processing, exploitation, and dissemination
UCGIS	University Consortium for Geographic Information Science
UML	unified modeling language
USGS	U.S. Geological Survey
XML	extensible markup language



## Appendix B

# Biographical Sketches of Committee Members and Staff

**Keith C. Clarke** (*chair*) is a research cartographer, professor, and chair of the Geography Department at the University of California, Santa Barbara (UCSB). He holds a B.A. degree with honors from Middlesex Polytechnic, London, England, and an M.A. and Ph.D. from the University of Michigan, specializing in analytical cartography. Dr. Clarke's recent research has been on environmental simulation modeling, on modeling urban growth using cellular automata, on terrain mapping and analysis, and on the history of the CORONA remote sensing program. He is the former North American editor of the *International Journal of Geographical Information Systems* and is series editor for the Prentice Hall Series in Geographic Information Science. In 1992 he served as science adviser to the Office of Research, National Mapping Division of the U.S. Geological Survey (USGS) in Reston, Virginia. Since 1997, he has been the Santa Barbara director of the National Center for Geographic Information and Analysis, and since 2001, he has chaired the Geography Department. He served as president of the Cartographic and Geographic Information Society for 2000-2001, chaired the American Congress on Surveying and Mapping's Communications Committee until 2005, and was a 2005 winner of the USGS's John Wesley Powell Award. In 2002-2003, Dr. Clarke chaired the National Research Council (NRC) Committee on the U.S. Geological Survey Concept of The National Map, and he is currently chair of the NRC's Mapping Science Committee.

**Marc P. Armstrong** is professor and chair of the Department of Geography at the University of Iowa where he also holds an appointment in the

Graduate Program in Applied Mathematical and Computational Sciences. Dr. Armstrong's Ph.D. is from the University of Illinois at Urbana-Champaign. A primary focus of his research is on the use of parallel processing to improve the performance of analysis methods used in spatial decision support systems. Other active areas of interest are in mobile computing, privacy aspects of geospatial technologies, and evolutionary computation. Dr. Armstrong has served as North American editor of the *International Journal of Geographical Information Science*, associate editor of *Cartography and Geographic Information Science*, co-director of Auto-Carto 11, and conference chair for GIS/LIS '94. He now serves on the editorial boards of the *International Journal of Geographical Information Science*, *Cartography and Geographic Information Science*, and *Geographical Analysis*. Dr. Armstrong has published more than 100 academic papers including articles in a wide variety of peer-reviewed journals such as *Annals of the Association of American Geographers*, *Environment and Planning A, B & C*, *Photogrammetric Engineering and Remote Sensing*, *Geographical Analysis*, *Geographical Systems*, *Journal of the Urban and Regional Information Systems Association*, *Statistics and Medicine*, *Mathematical Geology*, *Computers & Geosciences*, *International Journal of Geographical Information Science*, *Computers, Environment and Urban Systems*, and *Journal of the American Society for Information Science*.

**Budhendra L. Bhaduri** is leader of the Geographic Information Science and Technology Group in the Computational Sciences and Engineering Division at Oak Ridge National Laboratory. He holds a Ph.D in earth and atmospheric sciences from Purdue University, M.S. degrees in geology from Kent State University and the University of Calcutta, India, and a B.Sc. with honors in geology from the University of Calcutta. Dr. Bhaduri conceives, designs, and implements innovative computational methods and simulation algorithms to solve a variety of problems in land cover modeling, natural resource management, emergency management, and transportation studies using geographic information system and image analysis techniques. Current projects include LandScan and LandScan USA (a high-resolution population distribution and population dynamics model and database); a systems-level model for advanced geospatial technologies using large-scale spatial data from the Tennessee Base Mapping program; an Image-to-Intelligence Archive for large-scale image databases; and a project to enhance intelligent consequence management with evolving spatial technologies. Dr. Bhaduri has published widely in the academic literature, provided technical reviews for a number of scientific journals, and is a lead theme writer on the first National R&D Plan for Critical Infrastructure Protection, Department of Homeland Security, Science and Technology Directorate.

**Barbara P. Buttenfield** is professor and associate chair of the Geography Department at the University of Colorado in Boulder and director of the Meridian Lab, a research facility focusing on visualization and modeling of geographic information and technology. She received her Ph.D. from the University of Washington. Dr. Buttenfield's research focuses on algorithms for web-based data delivery, multiscale geospatial database design, and visualization of uncertainty in environmental modeling. She was an original co-principal investigator (Buffalo site) for the National Science Foundation (NSF)-funded National Center for Geographic Information and Analysis, leading research initiatives on multiple representations, formalizing cartographic knowledge, and visualizing spatial data quality. She was an original co-principal investigator for the Alexandria Digital Library Project, in collaboration with the University of California, Santa Barbara, and led the User Interface Evaluation team during its early years. Dr. Buttenfield spent a one-year research sabbatical at the U.S. Geological Survey National Mapping Division in Reston, Virginia (1993-1994), during which time she worked at the Library of Congress and participated in the Federal Geographic Data Committee efforts to develop and implement the National Spatial Data Infrastructure. She has co-edited two books: *Map Generalization: Making Rules for Knowledge Representation* (Longman, 1991) and *Digital Library Use: Social Practice in Design and Evaluation* (MIT Press, 2003). Dr. Buttenfield is a past president of the American Cartographic Association and a fellow of the American Congress on Surveying and Mapping (ACSM). She was a member of NRC's Mapping Science Committee (1992-1998), the NRC Panel on Distributed Geolibraries (1997-1999), and the NRC Panel on Research Priorities in Geography at the U.S. Geological Survey (2001-2002). She currently serves on the editorial boards of the *Annals of the Association of American Geographers (Methods, Models and Geographic Information Science)*, the *URISA Electronic Journal*, *Cartographica*, and *Cartography and GIS*. In 2001, she was named GIS Educator of the Year by the University Consortium for Geographic Information Science.

**Mark N. Gahegan** is a professor of geography and associate director of the GeoVista Center at the Pennsylvania State University. His research interests are in geographic information science, visualization, semantic models of geography, geocomputation, digital remote sensing, artificial intelligence tools, spatial analysis, Voronoi diagrams, databases, and qualitative spatial reasoning. Dr. Gahegan's editorial roles include *Geographical Analysis*, *Cartographica*, *Transactions in GIS*, *Computers, Environment and Urban Systems*, and *Computers & Geosciences*. He is editor (Americas region) of the *International Journal of Geographical Information Science* and is a member of the international steering committee for the GeoComputation

conference series. Dr. Gahegan directs two large open-source development projects: GeoVISTA Studio ([www.geovistastudio.psu.edu](http://www.geovistastudio.psu.edu)), a visual problem-solving environment directed at supporting scientific analysis across a range of earth science applications and ConceptVista ([www.geovista.psu.edu/Conceptvista](http://www.geovista.psu.edu/Conceptvista)), a concept mapping-ontology visualization and analysis environment. He is also a technical representative to the Open Geospatial Consortium. Dr. Gahegan received his B.S. at the University of Leeds, UK, and his Ph.D. from Curtin University, Australia.

**Michael J. Jackson** has a chair in geospatial science and is director of the Centre for Geospatial Science at the University of Nottingham, UK. Prior to this appointment he was director, Space, at QinetiQ Ltd (previously the UK Defence Evaluation and Research Agency). He has a background in high-tech software and service organizations in both government and industry, with a focus on space and geospatial information. Dr. Jackson's other previous appointments include being (1) head of Location Platform for Hutchison 3G responsible for the design and implementation of Hutchison Wampoa's global 3G location-based mobile Internet services (2000-2002); (2) Chief Executive Officer (CEO) of Laser-Scan Holdings (1986-2000); and (3) head of Thematic Information Services at the Natural Environment Research Council (1981-1986). He was a Nuffield and Leverhume Research Fellow between 1978 and 1979 (mainly in the United States, at the U.S. Geological Survey and the University of California, Santa Barbara), and from 1974 to 1978 was a senior research officer with the Planning Intelligence Directorate at the UK Department of the Environment. Dr. Jackson's research interests are in geospatial interoperability, data conflation and fusion, geospatial intelligence, geospatial databases, and mobile communications. Dr. Jackson has a first-class honors degree and a Ph.D. from Manchester University and an honorary doctorate of technology from Kingston University. He is a fellow of the Royal Institute of Chartered Surveyors and a fellow of the Royal Geographical Society. He is also a non-executive director of the Open Geospatial Consortium (OGC) and of other UK-based technology companies.

**Shashi Shekhar** is a McKnight Distinguished University Professor of Computer Science and director of the Army High Performance Computing Research Center at the University of Minnesota. He received a B.Tech. degree in computer science from the Indian Institute of Technology, Kanpur, India, and an M.S. in business administration and a Ph.D. in computer science from the University of California, Berkeley. Dr. Shekhar was elected a fellow of the Institute of Electrical and Electronics Engineers (IEEE) for contributions to spatial database storage methods, data mining, and geographic information systems. He is a co-editor-in-chief of *Geo-*

*Informatica: An International Journal on Advances in Computer Science for GIS* and is a member of the steering committee of the Association for Computer Machinery (ACM) International Conference on Geographic Information Systems. He served as a member of the Board of Directors of the University Consortium on GIS (2003-2004) and has served on the editorial boards of *IEEE Transactions on Knowledge and Data Engineering* and the *IEEE-CS Computer Science & Engineering Practice Board*. Dr. Shekhar also served as a program co-chair of the ACM International Workshop on Advances in Geographic Information Systems in 1996. He has provided technical advice to the United Nations Development Program, Environmental Systems Research Institute, Microsoft, Minnesota Department of Transportation, and Terradata. Dr. Shekhar co-authored a textbook on spatial databases and has published more than 160 research papers in peer-reviewed journals, books, conferences, and workshops. He is a member of the Mapping Science Committee of the National Research Council.

**Christopher Tucker** is president and CEO of IONIC Enterprise, a company specializing in interoperable location-based services, web mapping, distributed geoprocessing, and g-commerce. He provides software architectural consultation and expertise for clients in C4ISR (command, control, communications, computers, intelligence, surveillance, and reconnaissance), earth observation, homeland security, e-government, and other sectors. Dr. Tucker was a founder and chief strategic officer of In-Q-Tel, the Central Intelligence Agency's nonprofit venture capital fund. He developed In-Q-Tel's overall strategy for tackling the agency's priority information technology problems and managed technical projects; issues of organizational design; and relations with the intelligence community, industry, and media. Prior to In-Q-Tel, Dr. Tucker served as special adviser to the executive vice provost of Columbia University, where he also received his Ph.D., and was responsible for issues of strategic institutional development, research portfolio management, federal science and technology policy, and the organization of interdisciplinary research. He is an ex officio member of the Board of Directors of the Open Geospatial Consortium.

### National Research Council Staff

**Ann Frazier** is a program officer with the Board on Earth Sciences and Resources, coordinating mapping science activities. She has 23 years of experience in science and engineering, including 10 years with the USGS in geographic sciences. She focused on land cover change, urban growth, ecological modeling, and application of geographic analysis and remote sensing in interdisciplinary environmental studies. Prior to the USGS, Ann

worked for 13 years in the aerospace industry on the Space Shuttle and Space Station Programs. Ann has a B.A. in physics-astronomy, an M.S. in space technology, a certificate in environmental management, and an M.S. in geography.

**Amanda M. Roberts** is a senior program assistant with the Board on Earth Sciences and Resources. Before coming to the Academies she interned at the Fund for Peace in Washington, D.C., working on the Human Rights and Business Roundtable. Amanda also worked in Equatorial Guinea, Africa, with the Bioko Biodiversity Protection Program. She is a master's student at Johns Hopkins University in the Environment and Policy Program and holds an M.A. in international peace and conflict resolution from Arcadia University, specializing in environmental conflict in sub-Saharan Africa.